

COMIC SETTER

THE COMPLETE AMIGA MANUAL

COMIC SETTER THE COMPLETE AMIGA MANUAL

FREE
1995

FULL 132 PAGE MANUAL

COMIC SETTER

CREATE YOUR OWN COLOUR COMIC BOOKS!
YOURS WITH **AMIGA JAN '95**
MAGAZINE



Welcome to the full ComicSetter manual, first with the January 1995 issue of CU AMBA. Over the years Gold Disk's ComicSetter has impressed many people with its ease to use interface and uncomplicated theory. Anyone, from a complete beginner to a seasoned DTP wannabe can produce high-quality Christmas, birthday or other occasion cards, party invitations and, of course, comics. All you need are ideas, a sense of humor and an Amiga. You, your friends and family should get years of enjoyment from this program.

The ComicSetter manual not only contains instructions, materials and commands, it also provides a rough guide and hints and tips on creating good-looking comics and a glossary of the standard clip art available for the program.

All products mentioned in this manual are trademarks of their respective owners.

©1988 Gold Disk Inc.

Licensed to EMAP Images Ltd. for exclusive use on the January 1993 issue of CU AMIGA magazine.

All rights reserved. No part of this publication may be copied or distributed, transmitted, transcribed, stored in a retrieval system, or translated into any human or computer language, in any form or by any means, electronic, mechanical, manual, or otherwise, or disclosed to third parties without the written permission of Gold Disk.

The layout and design of this version of the Comic Series manual ©1994 CU AMIGA, EMAP Images Ltd. All of the above conditions apply.

Gold Disk Inc.
P.O. Box 789, Streetsville
Mississauga, Ontario
Canada L5M 3C7

COMICSETTER

the complete comic design studio

TABLE OF CONTENTS

1. Getting Started	11
2. Overview	19
3. Tutorial	21
4. Documents	33
5. Pages	39
6. Panels	57
7. Grids	41
8. Graphics	43
9. Bitmap Graphics	51
10. Structured Graphics	59
11. Text	65
12. Callouts	69
13. Call Out Operations	73
14. Groups	77
15. Preferences	79
16. Printing	81
17. Comic Kits	85
18. Appendices	87
19. Glossary	121
20. Index	129

1 GETTING STARTED



System Requirements

Computer: ComicSetter is designed to work on any properly configured Amiga.

Operating Systems: Kickstart 1.2 or higher, Workbench 1.3 or higher.

Memory Requirements: A minimum of 1 Megabyte of memory is required.

Display Monitor: Any Amiga compatible monitor. If working in high resolution mode, a long persistence monitor is ideal. Flicker-reducing, timed screens are also available for standard Amiga monitors.

Disk Drives: One Amiga 3.5" floppy disk drive is required.

Output Device: ComicSetter outputs to all Postscript printers.

Conventions Used in This Manual

The ComicSetter manual and the software it describes follow the standard Amiga user interface. It is assumed that you have some familiarity with basic Amiga procedures. However, as a refresher, we recommend that you read the following conventions adhered to throughout this manual.

- Bullets (•) indicate related information, lists, or responses.
- The use of Amiga hierarchy of terms for pull-down menus. Main menus are called "menus", options in a menu are called "items", and options in sub-menus are called "sub-items".
The terms "responses", "pages", and "tools" are also used.

- *Index* type is used for words or phrases referring to specific ComicSetter menus, responses, and tools. Some examples: the Project items, File requester, Panel Create tool.
- Menu selections are often listed in this manual using the format: Menu/Item/Sub-item. For example, Text/Style/Bold refers to the Bold sub-item in the Style item of the Text menu.
- Keyboard equivalents are graphically depicted in the pull-down menu displays. Where keyboard equivalents are indicated, the following notation is used (where "x" is a specific character):
 - A x - Depress x while holding the RIGHT AMIGA key.
 - The COURIER font indicates text that you should type in via the CLI or in the first line of a response.
- Moving the mouse pointer to a desired location, pressing and quickly releasing the left button is called "clicking". If this is done in order to activate an object, it is sometimes referred to as "selecting".
- Placing the mouse pointer on a desired location, pressing the left button and holding it down while moving the mouse is referred to as "dragging".

Making a Working Copy of ComicSetter

We recommend that you do not use the original disks which you received in the ComicSetter package other than to make working copies. Immediately make one (1) back-up copy of each disk to use as your working disks. Store the original ComicSetter disks in a safe place, retrieving only to make additional replacement copies if your back-up disks are lost or damaged.

For your convenience, ComicSetter is not copy-protected. Please respect the fact that Gold Disk Inc. has made it easy for you to make an authorized back-up to prevent risk to your original copies. Do not sell, lend, give, or otherwise distribute the ComicSetter program to anyone.

Copyright © 1987 Gold Disk Inc. All rights reserved. This document and the software herein are registered trademarks of Gold Disk Inc. All other trademarks are the property of their respective owners.

Making a Back-up

With one drive:

- Refer to the coverdisk pages in *CU Amiga* to find out how to make up an uncompressed version of ComicSetter; this will be your program disk.
- Boot up with the Workbench disk that came with your Amiga. Then put your ComicSetter Program disk in the drive. Be sure that it is write-protected.
- Select the ComicSetter disk icon.
- In the Workbench menu, select the Duplicate item, then follow the instructions the Amiga provides.

With two drives:

- Boot up with the Workbench disk that came with your Amiga. Place the ComicSetter Program disk in the first drive, and a blank disk in the second drive. Be sure that the ComicSetter Program disk is write-protected.
- Move the mouse pointer over the ComicSetter Program disk icon and "grab" the icon by pressing and holding down the left mouse button.
- Still holding down the left mouse button, drag the ComicSetter icon over on top of the icon for the blank disk, and release the button.
- Your Amiga will provide the necessary instructions to complete the back-up copy.
- After the Program-disk copy is finished, you should rename the copy of ComicSetter from "Copy of ComicSetter" to "ComicSetter". Repeat the copy process for the ComicSetter clipboard on the cover disk.

Starting ComicSetter

From the Workbench:

- Insert the ComicSetter Program disk in the drive to boot the system.
- Double-click on the ComicSetter Program disk icon in bring up the ComicSetter window.
- Double-click on the ComicSetter Program icon to start the program.

2

OVERVIEW



This section of the manual is intended to give you a basic familiarity with the ComicSetter screen and its components in preparation for the Tutorial. In-depth descriptions of the various ComicSetter functions appear in the Tutorial and following sections of this manual. We recommend that all ComicSetter owners, even experienced Amiga users, read these sections of the manual so they can learn to use ComicSetter to its fullest potential. You should have ComicSetter running on your Amiga while you read this manual, so you can practice the various ComicSetter functions as they are described.

Tour of the ComicSetter Screen

The ComicSetter screen (which you should have visible on the Amiga monitor in front of you) consists of a large window that showing a part of a page, surrounded by a variety of menus, tools and gadgets.

Title Bar

At the top of the screen is the "title" bar, showing the name and version of the program. To the right of this, ComicSetter displays the current "document name." Initially, this should read *Untitled 1*. To the right of the document name is a "coordinate position indicator". This shows you the current x,y (horizontal/vertical) position of your pointer in relation to the top left-hand corner of the page (once the page is created). By default, the units of measure are in inches, but can be changed to display in pixels or centimeters. Finally, at the far right side of the title bar are the standard Amiga "screen-to-front/screen-to-back gadgets".

Clicking on these gadgets will let you toggle back and forth from ComicSetter to the Workbench screens, as described in your Assign user's guide.

Menu Bar

Hold down the right mouse button to make the "menu" bar visible. There are seven ComicSetter menus available: Project, Edit, Layout, Text, After, Preferences, and Documents. Menus can be pulled down by moving the pointer to any specific menu name while holding down the right mouse button. Pull down the various menus, and look at the different selections available.

Selecting Menus, Items, and Sub-Items

Pulling down a menu reveals a number of selections, or "items." The Project menu, for example, has eleven items to select from. You can select any of these items, by holding the right mouse button down as you move the pointer to the item you want and then releasing the button. Some menu items contain a sub-menu of options or "sub-items." For example, you will notice that when you move the pointer to Project>Save Bitmap a sub-menu appears showing two sub-items, Panel and Page. To select a sub-item, move the pointer to the one you want, and release the right mouse button. If Panel was the choice, the selection would be indicated in this manual as Project>Save Bitmap>Panel.

Requesters

Some menu items are followed by three periods (for example, Project>Open...). The three periods indicate that if you select this item, a "requester" will appear. A requester is a window containing several options that you can choose from. For example, selecting Project>Open will call up a familiar-looking Assign file requester showing you what files are available, and allowing you to load a file into ComicSetter if you wish. You can cancel any requester by clicking on the Cancel gadget and returning to the screen.

Tool Palette

Running down the left side of the screen is the ComicSetter "tool"

palette, which contains all the different drawing modes and tools that you use to create comics. The tool palette consists of the following: nine "general" tools, the "drawing mode" gadget, eight "drawing" tools, a "colour" sub-palette, and a "line width" selector.

General Tools Sub-Palette

This part of the tool palette contains nine general tools to help you lay out a page. They are the null pointer, panel create tool, group create tool, hand move, send-to-back tool, send-to-front tool, balloon create tool, text tool, and bitmap create tool.

Drawing Mode Gadget


The drawing mode gadget is set by default to allow you to draw in "structured drawing" mode. Click on the gadget and the T-square-and-triangle structured drawing icon is replaced by a paint-and-brush bitmap drawing icon. Click again, and the structured drawing icon reappears. For a complete explanation of structured and bitmap drawings, see Chapter 6: Graphics.

Drawing Tools

This part of the tool palette contains eight drawing tools. They are the paintbrush, rectangle, fill, ellipse, polygon tool, rectangle, ellipse, and Bezier tools.

Colour Sub-Palette

This version of the tool palette allows you to select your ink and background colours. A palette of sixteen colours is



given. Each colour can be changed to any of the 4096 possible colours. The "fill toggle" gadget allows you to turn fill on or off. The "fill pattern" gadget shows the selected fill pattern. Every colour can be changed by double-clicking on that gadget, which brings up a Colour Palette requester.

Line Width Selector

This gadget allows you to select the width of the line you are drawing with. The line width can be adjusted by clicking on either the right arrow to increase the thickness, or the left arrow to decrease thickness. By holding the left mouse button down while over an arrow, the line thickness will continue to increase until you release the button. A dashed line indicates that no line will be drawn.

Scroll Bars

ComicSetter allows you to create pages that are larger than can be shown on the screen. The "scroll" bars are located on the bottom and right side of the ComicSetter screen, and they allow you to view and work with any part of a large page that can't be viewed in its entirety. They are standard Amiga scroll bars, and are used by holding down the left mouse button to grab onto a portion of the bar and dragging to move your point of view around the page. Clicking on the arrows at either end of the scroll bars allows you to adjust the view by small amounts.

Page Number Gadget

The "page number" gadget, at the lower right-hand corner of the screen, displays the number of the page currently being worked on in your ComicSetter document. To see how this works, select Layout/Add Page to create a page. When the Add Page requester comes up, click on the OK gadget. The centre part of the ComicSetter screen will turn from black to white as a blank page is created. The page number gadget will change from Page One Page 1. Select Layout/Delete Page. A requester will appear, select OK to delete the page. The page number gadget will again indicate Page One Page in the document. The number of pages in a ComicSetter document is only limited by disk space. The number of elements and objects on a page is limited by how much memory you have available.

Selecting the Proper Tool

As you learn how to use ComicSetter, you must remember to select the proper tool for the proper working mode. Remember to look at the tool palette and check to see which tool is selected. For example, you may be trying to alter one object when another object is active. This is a common source of confusion. Simply select the null pointer tool, click on the object you want to work with, and then start again.

Pointer Shapes

ComicSetter will change the shape of the pointer depending on the operation that you are attempting. There are four different pointer shapes. The first is the "null pointer", which is what ComicSetter starts out with. The null pointer can be selected by clicking on the null pointer tool. The null pointer allows you to select and move objects on the screen. The "create pointer" signifies that ComicSetter is ready to create something. This can be anything from a new panel, to any of the graphic elements. The "move pointer" indicates that you can move your field of view about your page, or move objects around. The "resizing pointer" will appear when you are attempting to re-size an object or panel. It returns back to its previous pointer when the re-sizing operation is complete. The final pointer is the "sleepy pointer". This pointer will appear whenever the program is busy doing a task.



Keyboard Equivalents

ComicSetter supports a large variety of "keyboard equivalents." These are short-cuts that allow you to access many menu selections by pressing two keys on the keyboard. When you become more proficient with ComicSetter, you will begin to see how useful these short-cuts really are. A menu selection that has a keyboard equivalent will show the equivalent beside the selection in the menu. For example, for keyboard equivalent for the Project/Open selection is A O. For a complete list of all keyboard equivalents, see Appendix B, Keyboard Shortcuts.

Keyboard Modifiers

"Keyboard modifiers" are used in conjunction with tools to alter their purpose. This is accomplished by holding down a specific key while using the mouse. Throughout the manual, keyboard modifiers are explained in their applicable sections. Also, Appendix B: Keyboard Shortcuts, contains a full list of all keyboard modifiers.

Printer Environment

If you have not already done so, you should configure ComicSetter to the type of printer that you will be using. This is done through the WorkBench using Preferences. ComicSetter will automatically gather information about the printer driver, and configure itself to your printer's resolution. ComicSetter comes with the WorkBench 1.3 printer drivers. For more information on how to configure WorkBench 1.3, see Appendix C: Printer Information.

3 TUTORIAL



The best way to learn ComicSetter is experimentation. With some practice, assisted by the Tutorial and other reference information in this manual, you can learn to take full advantage of every powerful ComicSetter feature and produce a wide range of dynamic graphic creations. In this tutorial you will produce a simple one-page, one-panel comic and print it. The principles that you are introduced to in this tutorial will provide the basic steps in organizing any similar project. At all times, feel free to experiment with the various functions of ComicSetter at your command.

To run the tutorial, you need:

- A working copy of the ComicSetter Program (see magazine).
- A working copy of the Clip-Art Disk (see magazine).
- A blank, formatted disk.
- A suitable output device.

If you are not already running ComicSetter, start up the program as described in the Getting Started Chapter.

Creating a Page

The first step is to create a page. To do this:

- Hold down the right mouse and move the pointer to the Layout menu. When the pointer touches the word Layout, a "pull-down menu" appears.
- Keep holding down the right mouse button,



move the pointer down to the **Add Page** item, then release the mouse button. An **Add Page** requester window appears, showing a number of adjustable settings. For the moment, use the default settings.

- Click once, with the left mouse button, on the **OK** gadget in the lower left-hand corner of the requester. The requester will disappear and the ComicSetter screen will change from black to white representing the page you have created. Also, the scroll bars on the bottom and right-hand side of the screen will adjust to indicate what part of the page you are viewing.

Saving ComicSetter documents

One important procedure that should be stressed when using ComicSetter, or any software product, is that you should save your work often. This "insurance" will pay for itself the first time you run into any difficulty. For example, saving a document before a major layout change will give you the option of returning to the original layout at any time. This can be extremely helpful, especially when first learning to use a computer or a particular program.

Before you actually begin creating your comic layout, you should learn how to **Save** and **Load** your documents. Although this material is short, you may not be able to finish it in one session. Knowing how to save your current document gives you the option of stopping and later continuing from where you left off. Since you have already created a page, let's demonstrate how to save the blank page, as a document, to disk. There are two ways of saving a document to disk. The first is the use of **Save As**.

To use **Save As**:

- Place your formatted data disk in the **STORED** disk drive, or if your Amiga only has one disk drive, replace the ComicSetter disk with the data disk.
- Select the **Save As** item from the **Project** menu.
- When the **Save Document As** requester appears, click on the **DPS** gadget if your data



disk is in drive 0, or the **DPS** gadget if it is in drive 1.

- Click to the right of the **FILE** line. A cursor will appear allowing you to type in the name of the document to be saved. For this example, type **TESTSAVE**.
- Click **OK** to save the document. You will notice that the filename that you have typed is now displayed on the title bar. Also, if you pull down the **Documents** menu, the name of your file, **TESTSAVE**, will appear to the right of the check mark.

With ComicSetter, it is possible to have more than one document in memory at one time. Every time you create or select a new document, it will be added to the list in the **Documents** menu. This feature is discussed in more detail in the **Documents** section of the manual.

Using the **Save** item:

The second way of saving your document is to select **Project/Save**. The **Save** item is very convenient when you are updating a file that you are working on. You could save modifications to the file frequently without the hassle of re-entering the same file name information.

Selecting **Project/Save** causes your file to be saved immediately to the disk and directory that was used in the **Save As** operation. If the **Save As** has not been previously used, a **Save Document As** requester will appear.

Reloading or Opening Files

If you want to load a previously saved file, select **Project/Open**. To demonstrate this function, clear the document in memory, and reload the document that you have just saved.

To clear the document in memory:

- Select the **Project/Clear** item. If you have changed anything on the page since the comic was last saved, a "Warning" requester will appear asking if you wish to have the comic again.
- Click on the **No** gadget. The page on screen will be erased.

The name of the document will, again, become *Untitled*.

To load the previously saved document:

- Select the **Project/Open** command. A responder similar to the one used in the *Save As* item will appear.
- Select the drive which contains your data-disk. *ComicSetter* will give you a list of all of the documents located on that disk (in this tutorial there will only be one).
- Click on the **TESTNAME** file. *ComicSetter* will take your selected file, and transfer the name to the **FILE** line.
- Click on **OK** to load the file. *ComicSetter* will load that file, and you will see your document on the screen. In this case, you will see the blank page you created earlier.



Now that you know how to save and load files, you can begin the tutorial with the option of stopping and resuming any time you wish. Again, a reminder to frequently save your document. It is very easy to load a previously saved document, but much harder to recreate it from scratch if something should go wrong. Before starting, let's ensure that preferences are set correctly:

- Select **Preferences/Show Boxes**.
- From the **Preferences** menu, select **Units/Points**. This means that all coordinates will be displayed in points.

Panels

Every comic layout, from a full comicbook to a single-picture comic, consists of a number of panels. Panels are working frames in which you assemble your images. In *ComicSetter*, all of your images and text must be created within panels. This allows you to move a panel, with all of its contents, to a new location.

A panel is not restricted by size, and can be up to a full page in dimension.

Adding a Panel:

- Click on the **Panel>Create** tool in the tool palette. Your pointer will change into a cross-hair.
- Position the pointer in where you want the top left-hand corner of the panel to appear. For this tutorial, the exact position doesn't matter, but you should place it in the area of (10, 10) as indicated by the coordinate position indicator gadget.
- Hold down the left mouse button and, by moving the mouse, drag the crosshair to the position where the bottom right-hand corner of the panel should be, in the general area of (560, 100). A large rectangle should be drawn out in the process. When you are satisfied with the position, release the mouse button. The panel's border will change to a dashed line indicating that it is active.

Magnification

ComicSetter gives you four different magnification levels in which to work: 200%, 100%, Full Page, and 50%. Zooming in is useful for adding fine details in your layouts. Zooming out can show your entire page.

A closer look

To view your panel up close:

- Select **Preferences/Magnify/200%**. The page will zoom in to fill the screen. Now only a small part of your panel will be visible. However, you can move your field of view to see other parts of the page.

To see the right side of the panel:

- Click the bottom scroll bar and drag it about two-inches to the right. When you release the button, you should see the top right hand side of the panel. The same procedure applies to the vertical scroll bar. To see how our new panel looks in relation to the entire page, we can view the document in Full Page magnification mode.

A full page view:

- Select **Preferences/Magnify/Full Page**. The page will zoom to full view, to appear as a white rectangle on a black background.

All features of the program will work at any given magnification level. From this point, freely use any magnification level you desire. The tutorial will prompt you to set a particular magnification level only when it is necessary for completing a specific function of this tutorial. However, for speedy response, we recommend you work in 100%.

Selecting and Moving Panels

Before moving or changing a panel it must be selected and made active. An active panel has a dashed border. An inactive panel has a solid border. To demonstrate:

- Click on any part of the page which does not contain a panel. This will de-select your original panel. The panel will have a solid border signifying that it is inactive. To select a panel:
- Move the pointer over the panel that you wish to select and while pressing the Right-ALT key, click on the panel with the left mouse button. The border now changes from a solid to dashed line, indicating an active panel. To move a panel:
- Make sure that the panel is selected.
- Move the pointer over the panel and grab onto it while holding down the Right-Alt key by pressing and holding down the left mouse button. Your pointer changes to a Hand.
- Move the mouse to drag the panel to its new location and release the button. It's that simple. The Comic Let's start creating the tutorial comic.
- Clear the page of the panel(s) that you have created by making the panel active and selecting **File/Delete**.
- Create a panel with the top left hand corner near (18, 18) and the bottom right hand corner near (198, 188).

Importing a Background

For the tutorial comic, begin by importing a background into the active panel:

- Make the panel active.
- Select **Project/Import Graphics...** or double-click the **Bitmap/Create** tool. Your pointer will change to a cross hair. ComicCenter is now waiting for you to define the area into which the graphic should be imported.

- Position the pointer inside and near the top left-hand corner of the panel.
- Hold down the left mouse button and drag out a rectangle to the bottom right-hand corner of the panel. The background you will import will fit in this guide. The portions of the graphic outside of the panel will not be visible. ComicCenter will now display a file requester similar to the one shown earlier when you saved your document.
- Insert your ClipArt disk into your external drive, or if your *Assign* only has an internal drive replace the ComicCenter or data disk with the ClipArt disk.
- Click on the disk drive number gadget corresponding to your ClipArt disk to view its files in the file requester.
- Click on the line that reads **BACKGDS**. This will open the directory for Background clipart.
- Select the file named **Interior.Tst**.
- Click on **OK**. The file requester will disappear and a new window will appear showing you the background that you will import into the tutorial comic. The "Graphic Clipping" window is placed on top of the existing ComicCenter window, and may be moved or sized. Along the top of the graphic clipping window are five gadgets which are explained in the **Bitmap Graphics** section of this manual. For now, your concern is to clip a section of the background to fit exactly into the guide that you have created.
- Click on the "Guide Clip" tool, the "G" gadget along the top of the graphic window. As you move the pointer, a rectangle, the same size as the guide you drew, will move along with it. If you move the pointer outside of the Graphic window, the picture inside the window will scroll in that direction.
- Once you have established the desired position, click the left mouse button. You should see your background appear in your panel right before your eyes.

Importing Characters

Now you need some characters to place on top of the background. The process for importing characters is identical to the process for importing backgrounds, jpeg's, your own images, etc.

- Select Project/Import Graphics.
- Draw a small guide on top of the background you just imported. The Import Graphic clipping window will appear with your previous background. Since we want a new image, choose the File tool (which is second from the left).
- When the file requester appears, choose the PARENT item at the top of the list. This brings you back one directory level.
- Select the MALE directory to view its files.
- Select *Mod_Poses_8_Paris*.
- Click on OK.

You will be placing together a character from the parts given in this screen. If you try using the Guide function to clip out the character's parts, as we did with the background, you might clip out unwanted portions of other images within the clipping rectangle. For this reason, ComicLetter gives you the ability to clip images using a polygon tool. This offers unlimited control over the objects that you clip, regardless of how irregularly-shaped they may be. First clip out the character's upper body part which is located at the far left side of the graphic window:

- Select the polygon clipping tool located at the far right side along the top of the graphic window. The pointer will change to an X shape indicating ComicLetter is ready to polygon-clip.
- Move the pointer to a position, anywhere around the character's upper body part and press-and-release the left mouse button. Now, when you move the mouse, a line will be drawn from the position where you clicked to the current pointer position.
- Move the mouse pointer further around the character and press the button again. The line will be fixed to the second point, and you will be able to continue with a second line. In this manner, you will be able to completely enclose the image by carefully drawing a series of lines around it. The lines can be as long or as short as you wish.

- When you have enclosed your image, quickly double click the left mouse button. The image that you have clipped will now be transferred to your comic layout.

More than likely, the clipped image, called an object, will not be in the precise position you desire. But, don't worry. ComicLetter gives you the full ability to edit and move these objects. And, since every object on the screen is kept track of separately, they may be moved and treated independently of one another.

To move your object:

- Position the pointer over to the object that you wish to move, and while pressing and holding the left mouse button drag the object to the desired location.

Continue Building

Obviously, you still need a head and the lower part of the body to finish your character. Continue to select Project/Import Graphics, using the Polygon clipping tool to select the pieces that you wish. Once these pieces are on the panel, move them so they connect together. Complete the character.

Back to me!

ComicLetter gives you the unique ability to enter dialogue in speech balloons, and then edit this text at any time. Here's how:

- Click on the Balloons tool in the tool palette.

COMICLETTER
HELLO MY NAME IS JIM

Your pointer will change to a cross-hair, indicating that a speech balloon may be drawn.

- Move the pointer to anywhere over the panel, hold down the left mouse button, and drag out a rectangle for your speech balloon. When you release the mouse button, ComicSetter will present you with an Enter Text box.
- Type in the caption you want your character to say. We suggest "COMICSETTER MAKES MY DAY!"
- Hit the RETURN key. ComicSetter will create a round speech balloon with this caption inside it.

Depending on the length of your caption, the entire text may not fit in the speech balloon. You will have to create your balloons. Details in chapter 12: Balloons.

Round speech balloons are nice, but they are not complete until a tail is added, signifying that the character is speaking.

A speech balloon consists of two components: the text component and the graphic component. To add a tail, we only wish to modify the graphic component.

Remember that a speech balloon is really just an object, similar to the background or character that you shipped earlier. Before you can modify an object you have to make it active.

- Click on the speech balloon to make it the active object. You will notice that the outline becomes dashed, but wait ... another box appears inside the balloon (if you don't see this, make sure that



Preferences/Show Boxes is selected). Remember, a balloon is made up of two components. The graphic component is the outside part, and the box within is the text component.

To tell ComicSetter that you only want to modify the outside graphic component:

- Position the pointer within the dashed outline of the balloon, but not over the smaller inside text box.
- While pressing the CTRL key, click on the left mouse button. Several small rectangles will appear around the outline of the balloon. These are called control points. Control points allow interactive manipulation of graphics.

Finally, let's add the tail:

- Move the pointer onto a control point, preferably one closest to your character's mouth.
- Hold down the left mouse button while dragging out a tail.
- Release the button when you are satisfied with the tail's location.

To move a whole balloon:

- Deactivate the balloon by clicking anywhere outside of the balloon.
- Reactivate the balloon by clicking on it with the left mouse button, and drag to the desired location. The reason for deactivating and reactivating is that you had previously activated only the outside component of the balloon. Experiment and see first-hand what happens in either situation.



Print

Having completed your first comic on screen, the last remaining function of this Tutorial is getting out a copy for everyone to see. You should have your printer and Preferences set so we can print the comic immediately.

- Select **Produce/Print...** ComicSetter pops up a Print Document box. Check to ensure that **Grey Scale** is selected if you are using a standard black & white printer, or that **Colour** is selected if you are using a colour printer.

- Select Start. Your printer should start to print your comic after a few seconds.

Conclusion

You have created a comic! Where do you go from here? Experiment. There are many additional features that weren't discussed in this tutorial. Only through experimenting with the various features listed in the following chapters will you actually acquire skill in their use. The following chapters are not in the "hands-on tutorial" style, but will explain all of ComicSetter's advanced features in detail.

The comic that you have just created is a great starting point for further experiments with more advanced features. The tutorial example file is saved under the filename: COMIC.FINAL and can be loaded from the TUTORIAL directory of the Clip Art disk. Of course, yours won't look exactly like the example, but if nothing has gone wrong, it should be similar.



4 DOCUMENTS



A document is a page, or collection of pages, created with ComicSetter. Besides Saving and Opening individual documents, ComicSetter gives you the ability to have several documents in memory at one time, and to transfer information between them.

Opening Documents

The Project/Open selection will produce an Open Document file requester and ComicSetter will immediately start reading the most recently accessed disk. This is DFO, by default.

Clicking on any of the drive gadgets, or selecting a directory, will cause ComicSetter to execute that action immediately. Clicking on a file name will transfer that name to the File line. Double clicking on a file name will tell ComicSetter to open that file.

If you are in a sub-directory, the first selection will always be «PARENT». Clicking on this will take you back one level.



Saving Documents

There are two methods of saving documents:

- Select Project/Save As. A file requester will appear. Click in the line to the right of the word File to produce a cursor, and type the name of the file. Then click on the OK gadget.
- Select Project/Save. The file will be saved to whatever disk and directory was used in the previous Save As operation. If Save As has

not been used, a Save As requester will appear when Save is requested. The Save item is very convenient when you are working on a comic, allowing you to save it often without the hassle of re-creating file name information.

Multiple Documents

ComicCenter gives you the ability to have several Opened documents in memory at the same time, listing them in the Documents menu. Make selections from this menu to view the various documents you have opened. ComicCenter will not permit you open the same document twice at the same time.

New Documents

The Project/New command allows you to create a new document while keeping your old document intact. After selecting Project/New, ComicCenter will appear as it does when you normally start the program, a black screen. However, the Documents menu will list all of the documents in memory.

Close Document

If you wish to remove a document from the screen document directory, use the Project/Close command. If you have made any changes since the last time that the document was saved, ComicCenter will produce a "Warning" requester stating this fact. Click No to close the document. You're being up to the Save Document requester, and Cancel to abort the operation.

5 PAGES



A page in ComicCenter is similar to a printed page in a comic book or other publication. The dimensions and margins of the page are defined to match those that will be printed. As in traditional publications, images in ComicCenter will be drawn and laid out on these pages.

Units

You can select the units of measurement through the Preferences/Units item: Pixels, Inches and Centimeters. The default value is Inches. Changing units of measure will result in the use of those units throughout the program.

Adding Pages

The Layout/Add Page selection will produce an Add Page requester which allows you to define the following page attributes:

- **Size:** ComicCenter offers a choice of four predefined page sizes: Standard, Legal, A4 and A6. Selecting a page size will display its dimensions in the width and height indicators in the selected units of measure.
Custom page specifications are available by selecting Custom, and typing the desired dimensions in the width and height indicator lines. Regardless of the Units and output resolution, the maximum size of a page is 1000x1000 pixels.
- **Margins:** The margin feature is used in conjunction with the AutoPanel feature. By default, ComicCenter provides a 0.5 inch margin on all sides of the page, but any value from zero to the maximum

page size may be entered. Margins do not restrict manual placement of panels. The margin sizes will vary in pixels depending on the output resolution setting in Project/Environment Setup. (See Chapter 16)

- **AutoPanel:** ComicSetter can create a page with ready-made panels. To the right of the *AutoPanel* gadget are the X and Y value indicators. X represents the number of panels horizontally, and Y the number of panels vertically.

Horizontal and Vertical gaps are the respective spacings between the horizontal (X) panels, and the vertical (Y) panels.

Selecting Pages

The page visible on the screen is always the active page. Pages can be selected using the Page Number gadget in the bottom right side of the ComicSetter screen.

- Click on the Page Number gadget for its responder.
- Click on the up or down arrows to change the page number by one value in either direction. Or click on the page number box and type in the desired page number using the keyboard.

Deleting Pages

ComicSetter allows you to delete a page, as well as a group of consecutive pages, without having to view that specific page by:

- Select Layout/Delete Page. ComicSetter will produce a Delete Page responder.
- Click on the range and type in the range of pages you wish to delete; then Click on OK.

Moving Pages

Selecting Layout/Move Page command will bring up a Move Page responder which has three areas for input:

- Range X to Y: You can move a group of consecutive pages. X value represents the starting page and Y value is the ending page number. • After Page: This is the page that you wish to insert your group after. All of the pages in the requested range will be moved after this page. The order of pages within the group will stay the same.

PANELS



A panel encloses all images for a particular comic frame. As with traditional comics, ComicSetter panels are rectangular, and may have a border of variable thickness, area, and colour. All objects must be created within a panel. Therefore, a panel is the first element required on a ComicSetter page. If a panel is moved, all of its associated images will move with it. In this regard, a panel acts as a common anchor point. By default, an image will not be visible outside of its panel, but ComicSetter does provide the option of altering this, and for moving objects to other parts of the page as described in Chapter 6: Graphics.

Creating

Clicking on the Panel Create gadget changes the pointer to a cross-hair signifying that a panel may be created. Hold down the left mouse button while dragging out a rectangle. The Panel Create mode remains active until you cancel it by selecting another gadget.



Constraining Panels

Hold down the SHIFT key while dragging out a panel to constrain the panel to a square. In some magnification levels, the screen representation may not look like a square. However, ComicSetter takes the resolution of the output printer into consideration and will print a true square.

AutoPanels

AutoPanel allows you to create a page containing a specified number of panels. See Chapter 5: Pages, for a full explanation of the AutoPanel feature.

Selecting Panels

A selected panel has a dashed highlight around it; non-selected has no highlight, and the panel containing a selected object has a solid highlight. Comanche will also display the panel's printable boundaries by default. Comanche allows you to select individual panels in two ways:

- Move the pointer over any part of the panel and while pressing the Right-ALT key, click the left mouse button.
- Select the Marquee Tool, hold down the Right-ALT key, and drag out a rectangular frame around the panel to select.



- By using Extended Select you can select more than one panel and modify all of the selected panels simultaneously. There are several ways to select more than one panel:
- Select the first panel by holding down the Right-Alt key, then hold down the right-SHIFT key to select additional panels. All of the selected panels will have dashed borders.
 - Use the Marquee tool, hold down the Right-ALT key, and drag out a rectangular frame around all of the panels you wish to select.
 - Ensure that NO panels are selected by clicking anywhere on the page outside of the panels and objects. Then select Edit/Select All to select all of the panels on the page.

To De-Select a Panel:

- Select another single panel. This will de-select the first panel.
- Select any object or group within any panel.
- Click on any part of the page which does not contain any panels or objects.

If you have a set of panels selected, the above three methods will de-select all of the panels. If you wish to de-select one panel from a set of selected panels, click on that panel while depressing the Right-Assign key.

Moving

There are two ways to move panels:

- Grab and move the selected panel directly on the screen.
- Enter exact coordinates for the panel's position into the panel's attributes register. See Panel Attributes (below).

sizing

Changing a panel's size leaves the objects in the panel at their old sizes and positions. The portion of each object which is visible will be adjusted to the panel's new edge.

Using the mouse:

- There are eight control around the selected panel's border.
- Grab the control point, and drag it to its new dimensions. Grabbing a side control point allows you to only size that side. A corner control point allows you to size two intersecting sides.

Comanche provides an option which allows you to enter the exact size of the panel using the keyboard. This will be discussed later in this chapter under *Attributes*.

Scaling

Scaling a panel will also scale the contents of that panel by the same proportions.

Using the mouse:

- Hold down the Left-ALT key and grab a control point by pressing, and holding, down the left mouse button.
- Drag the panel to its new dimensions and release the mouse button.

Deleting Panels

Panels can be deleted in two ways:

- Select the panel and press the DELETE key.
- Select the panel and choose the Edit/Erase icon.

It's now recommended to delete a panel, and not the object within, to bring it back.

Panel Attributes

The Alter/Panel Attributes selection gives you full control over all aspects of the selected panel.

Position

The Position Indicator allows you to specify the exact location of the

top left-hand corner of the selected panel in relation to the top left-hand corner of the comic page. The position is indicated in units of measure selected in *Preferences/Units*.

• **Position X Y:**

The X value represents the horizontal distance from the left side of the page to the left side of the panel. The "Y" value represents the vertical distance from the top side of the page to the top of the panel.

Size

The top left-hand corner of the panel is specified by the *Position* indicator. The other corner locations are controlled using *Size* values X and Y.

- The X value represents the horizontal size (width) of the panel.
- The Y value represents the vertical size (height) of the panel.

Scale

It is possible to scale a panel up or down in size. Scaling will also scale the contents of the panel to the same proportions. Use the *Scale* values X and Y:

- The X value represents the horizontal scaling factor that is to be applied. The position of the left side of the panel will remain fixed and the right side will adjust accordingly.
- The Y value represents the vertical scaling factor that is to be applied. The top side of the panel will remain fixed and the bottom side will adjust accordingly.

Border Width

Most comic panels have borders. ComicScribe allows you to change border widths. The default border width is 1 pixel, but panel borders may range from 0, or no border, to a maximum thickness of 16 pixels. Width is specified in pixels.

Border Colour

By default the panel border is black. However, ComicScribe provides a selection of custom-chosen colours for the border:

- Click on the up-or-down arrows to cycle through the colours.

Panel's border width and colour may also be changed by selecting the panel and using the *Line Width* and *Line Colour* gadgets.

7 GRIDS



ComicScribe provides grids to help you position panels more precisely. In addition to being a visual guide, the grids in ComicScribe can automatically align panels and objects to the grid line intersections – something that grids on paper can't do. The grid lines will not print out on your final page.

Grid spacing is specified in the units selected in *Preferences/Units*. ComicScribe allows you to vary the grid spacing by entering a user-definable value.

Display

The *Preferences/Show Grid* selection is used for displaying a grid on the ComicScribe screen. The default value is 33 pixels by 18 pixels. Showing the grids will not restrict any panel or object manipulation; this is only a visual guide. Grids can be turned off by again selecting *Preferences/Show Grid*.

Changing Grid Size

Selecting the *Preferences/Change Grid...* item will present a requester allowing you to set the *Grid Spacing*.

- *Horiz.* allows you to change the horizontal grid distances.
- *Vert.* allows you to change the vertical grid distances.

The values are entered in units of measure corresponding to the *Preferences/Units* selection. The minimum grid setting is 1 by 1 pixels, although a grid setting with such a low value would not be very useful.

Snapping

PerformanceSnap to Grid allows you to accurately position patches at grid intersections. When the Snap to Grid item is selected, all objects being created or moved will align the top-left corner of the object to the nearest grid intersections.

8 GRAPHICS



ComicSetter allows you to introduce graphic components to your comics in two ways:

- By creating them within the ComicSetter program using the graphics tools in the tool palette.
- By importing previously created graphics from Clip-Art disks, or any other source. ComicSetter accepts any standard Amiga IFF image (except HAM).

Bitmapped and Structured Graphics.

ComicSetter allows you to use and manipulate two different forms of graphics:

- **Bitmapped graphics:** these are created by paint programs such as Deluxe Paint II, Acrylic Images, etc. You create an area, called a bitmap, and then modify the pixels in that bitmap to create a picture.
- **Structured drawings:** created from components that are mathematically defined. These components can be lines, arcs, and curves, each with line weights and fill pattern attributes.

Structured drawings require less memory than Bitmap objects. It is also possible to alter structured drawings after they are created.

Graphics Mode tool

The Graphics Mode tool allows you to select either structured or bitmapped graphics drawing modes. When the Graphics Mode tool resembles a palette and paint brush, ComicSetter is in bitmapped graphics mode. When the tool resembles a T-square and triangle,

ComicSetter is in the structured graphics mode.

Objects

All ComicSetter graphic elements are called objects, whether they are bitmapped, structured, or even plain text. Objects react similarly to panels in that they can be moved, sized and scaled. Objects can be placed over one another to create desired images.



Bitmapped Objects

Before you can create any bitmap graphic in ComicSetter, you must define a Mask bitmap object. Once defined, this object may be modified with the tools provided in the tool palette. For more information on creating Mask bitmapped objects, see chapter 9: Bitmap Graphics.

Structured Objects

Structured graphics, unlike bitmapped graphics, do not require an object to be defined before creating the graphic. Simply create the structured graphic in a panel. Structured graphics are covered in Chapter 10: Structured Graphics.

Text Objects

Text is handled in a similar manner as a graphic import. ComicSetter requires that you drag out the text object, then enter the desired text. For more information, see Chapter 11: Text.

All objects must be created within a panel, and there is no limit to the number of objects that may be contained in a panel.

Selecting Objects

A non-selected object is displayed with no border, see Preferences/Show Objects to show borders around non-selected objects. A selected object is displayed with a dashed border. To select an object:

- Simply click on the object using the left mouse button. Unlike selecting points, using a keyboard modifier is not required. However, the different individual and multiple selection methods are still applicable, including:
 - Selecting objects individually by clicking on them.

- Using the Blanker Tool to select more than one object.
- Using the Left-Shift key to Extended-Select additional objects.
 - Using the Left-Alt/Option key to Obj-Select a single object from an Extended-Select set.
- Using the Ctrl/Command-All item to select all objects in a selected panel.

Moving Objects

Objects can be moved by grabbing them and using the left mouse button. If the object is not the currently selected object, it will become become active. More than one object may be moved at once. Extended-select the objects to be moved and then, while holding the L-SHIFT, pick up any one of the objects you want to move. The rest will move along with it, keeping the same relative positions.

Cropping Bitmapped Objects

ComicSetter allows you to crop bitmapped objects by grabbing and moving any of the eight control points around the selected object. Cropping a bitmap doesn't change the image's size, but reduces the amount of the image which is visible. The bitmap can later be enlarged back to its original size, revealing the portions which have been hidden by previous cropping. It is not possible to crop a bitmap larger than its original size.

Scaling Bitmapped and Structured Objects

Bitmapped objects can be enlarged or reduced in size. Unlike cropping, scaling alters the image in your object. For example, scaling a bitmapped object to twice its size, will make the individual pixels of the image twice as large.

Scaling a structured graphic will not affect its resolution since it is mathematically defined. The end result would be a larger or smaller graphic, but the individual pixels making up the graphic would not change in size; the whole bitmapped and structured objects:

- Hold down the Left-Alt key, grab any control point around the selected object, and scale to the desired size.

Scaling Text Objects

Scaling a text object will result in the text box changing size while the

tool on the left is (45b) Fill.

Selecting No Fill:

- Select the Background indicator.
 - Select the No Fill tool.
 - This will result in no background colour.
- By default, Fill is turned off.

Selecting a Pattern:

- Select the Background indicator.
- Select the Pattern tool. The background colour will be set to the current fill pattern. The Pattern tool will always indicate the current pattern.

To change The Background pattern:

- Double click on the Pattern tool. ConnectSet will present you with a Fill Patterns requester.
- Select any of the twenty-five patterns. Each pattern is made up of four colours. On the right side of the requester, the four basic colours are shown. Click on the arrows beside each of the colour indicators to change that colour.
- The SET option is only valid if you are changing the background of an existing, editable graphic, such as a structured or text object. Selecting SET will change the Current Pattern into the pattern used by the object that you are editing. This option allows you to recall previously used patterns and colour combinations.

Changing Colour

ConnectSet allows you to specify any of the Amiga's 4096 colours as your 16 working colours. It is strongly suggested that the first two colours (white and black) be left alone. If these colours are changed, polygons, masks, and requesters may become difficult (or even impossible) to read. It is wise to leave the last two colours (medium and dark grey) alone as well, but they are less important than white and black. To change any of the 16 working colours:

- Double click on the colour in the colour palette that you wish to



change. ConnectSet will display a Colour requester.

The Colour requester permits you to change the overall Red, Green, and Blue components of the colour that you wish to create.

Modification of the Hue, Luminance, and Saturation is also possible. To change any of the values, grab and drag the corresponding selector bar. As you move the selector, the new colour that you are creating is simultaneously displayed in the bottom right position of the Colour Palette.

- The R, G, and B sliders control the amount of Red, Green, and Blue components in your colour. There are 16 different levels for each.
- The H slider controls the Hue of colour. This is the colour's relative position in the colour spectrum, similar to the colours of a rainbow.
- The L slider controls the Luminance of the colour. Think of this as the intensity, or brightness of colour. The lower the slider, the more black is added to the colour. When the slider is in the very bottom, the colour black will always result.
- The S slider controls the Saturation of the colour. Think of this as the degree of pure colour. The lower the slider, the more white is added to the colour.

Using the R, L, and S sliders give you an alternative method of selecting colours. When you alter any of these sliders, the R, G, and B values change accordingly.

Spread allows you to specify a starting and ending colour and have ConnectSet generate a spread of colours in between the two.

- Create the colour at one end of the spread.
- Create the colour at the other end. The relative locations of the starting and ending colours is important for it defines the number of intermediate colours that will be generated.
- With one of the two colours active, click Spread and then click on the other colour.

Each allows you to exchange the location of two colours in the colour palette. This is useful when you wish to change a certain colour throughout your graphic.

- Select the first colour to be exchanged.
- Select the Exchange tool.
- Select the second colour to be exchanged. The two colours will

change locations. Copy allows you to duplicate one of the 16 current colours onto another colour location.

- Select the colour to be duplicated.
- Select Copy.
- Select the palette location into which you wish to copy the first colour.

Cancel will discard all modifications that you have made to the colour palette, and restore the previous palette. Undo will undo just the last change you made.

9 BITMAPS



Importing The process of importing bitmap graphics was quickly covered in the Tutorial. This section explains in detail the different features of the Import Graphics function.

A bitmap graphic can only be imported into a panel. Therefore, prior to selecting **Project>Import Graphics...**, create a panel on the page. To import a graphic:

- Select **Import Graphics...** (a shortcut is to double-click the Blank Bitmap tool). The pointer will change to a cross-hair indicating that a frame or guide to receive the graphic should be drawn.
- Drag out a frame within the panel. This frame does not restrict the size of the imported graphic but is used as a reference for the Guide clipping function (explained later in this section). A file requester will appear if nothing has been imported yet.
- Enter the proper drive, directory and filename of the graphic you wish to import. **ComicSetter** will present the Graphic Clipping window.

By default, the Graphic Clipping window is displayed at the centre of the screen. The window may be resized and moved about the screen. **ComicSetter** will remember these alterations the next time the Graphic Clipping window is displayed.

Move the mouse pointer outside of the window to scroll the image in the direction of the pointer. The further the pointer is from the window, the faster **ComicSetter** will scroll the image. An alternate method for scrolling is pressing the four keyboard arrow keys. Holding the **SHIFT** key down will increase the scrolling speed.

The functions of the five tools across the top of the Graphic Clipping window, in order, are:

- Cancel Import, the standard *Assign Close* gadget on the left, is selected to cancel the graphic import function.
- The *New Image* tool, is selected to produce the file *Imported*, allowing you to select a different image file.



- Guide, *ComicScribe* remembers the dimensions of the frame or guide that was drawn within the panel after selecting *Import Graphics...* Selecting the *Guide* clipping tool will produce a rectangular clipping frame of identical dimensions. Move the frame over the area of the image that you wish to clip and click on the left mouse button.
- The *Rectangle Clip* tool is selected to define a new rectangular clipping frame.
- The *rightmost* tool, *Polygon Clipping* allows clipping of irregular shapes. Click the left mouse button to draw a polygon around the image. The lines can be of any length. To terminate the polygon, double click the left mouse button. *ComicScribe* will automatically create a final line joining the last point of the frame, with the starting point.

Creating a Blank Bitmap Object.

To create a Blank Bitmap inside a panel:

- Select the *Blank Bitmap* tool. Your pointer will change into a cross hair.
- Drag out the object. The dashed border indicates that it is the current object. *ComicScribe* remains in the *Object Create* mode, allowing you to create more Blank Bitmaps.



An object may extend beyond its panel. The only restriction to the *Blank Bitmap* tool is that the starting corner of the object must initially be inside of the panel. After creation, the object can be moved completely off of the panel.

Constraining Objects

To create square bitmaps, hold down the *SHIFT* key while using the *Blank Bitmap* tool. Depending on the viewing magnification, and screen resolution, the result may not appear to be square. However, *ComicScribe* takes the printer output resolution into consideration and the object will print as a true square. By releasing the *SHIFT* key, you will again be able to generate rectangles.

Modifying a Bitmap Object

ComicScribe provides eight different tools to add to the contents of bitmap objects, imported clip art as well as images created entirely within the program. To modify a bitmap object, make sure that the object is active and that the *Graphics Mode* tool is set to *Bitmap*.



Painting Tool

Use the *Paint* tool to draw directly on the bitmap using the selected foreground colour. As long as the left mouse button is depressed, *ComicScribe* will trace your mouse movements.



Brush types

Double clicking on the *Paint* tool will produce the *Brush Types* response. Select any of the displayed brushes.



Continuous Line Tool

The *Line* tool is used to create straight continuous lines.

- With the *Line* tool selected, move the pointer to a starting position, click the left mouse button at that location and drag out a line.
- Click the left mouse button at a second location; a line will be drawn from the first point to the second point. Continue clicking to create a connected sequence of lines.
- To terminate the sequence of lines, double-click the left mouse button on the final point.

Closing Polygons

ComicScribe can automatically close polygons. Hold down the CTRL key while double-clicking to terminate the sequence of lines.

Constraining

Hold down the SHIFT key to constrain lines to 45 or 90 degrees. This is useful if you wish to create perfectly horizontal, diagonal, or vertical lines with little effort. Releasing the SHIFT key will allow you to resume creating lines at any angle.

Box Tool

The box tool allows you to create rectangular shapes. With the Box tool selected, move the pointer to a starting location, hold down the left mouse button and drag.

Constraining boxes

Hold down the SHIFT key while creating a box to generate squares.

Ellipse Tool

The Ellipse tool allows you to create ellipses. With the Ellipse tool selected, move the pointer to the starting location and drag out the ellipse.

Constraining ellipses

Hold down the SHIFT key while dragging out ellipses to generate true circles.

Fill Tool

The Fill tool allows you to fill in a closed area on the bitmap with the current background colour or pattern. You can also fill an entire blank bitmap object with this feature. With the Fill tool selected, position the pointer inside the area that you wish to fill and click the left mouse button.



AirBrush Tool

The Air Brush tool will spray a random stream onto the bitmap in the chosen foreground colour. The Air Brush is activated by holding down the left mouse button.



Air Brush settings

Double click on the Air Brush tool to produce the Air Brush Settings response.

- Size controls the radius of the area the Air Brush will paint.
- Flow controls the rate that colour will flow onto the bitmap.



Smear Tool

The Smear tool is used to mix up pixels within a specific distance of the pointer. This is useful for blending two joining colours within an object. Double clicking on the Smear tool produces the Smear Settings response which is similar to the Air Brush Settings response and operates in the same manner.

Bezier Curves

The Bezier tool provides the ability to produce curves. This involves entering the location of four points to which ComicScribe fits a curve. This function is performed interactively so you will always see the curves as they are developed.

This is a very powerful graphics tool which requires some experimentation to fully master. The following brief guide illustrates the power available through the use of Bezier curves. To produce a Bezier curve:

- Select the Bezier tool, and move the pointer to the location of the first point.
- Press the left mouse button and drag out a line to the second point and release the button.
- Move the pointer to the third location, and press the left mouse button again. While holding down the left mouse button, move the pointer to the location of the fourth point. ComicScribe will display the location of the 3rd point while you drag the pointer.



- When you release the button, the curve will be generated in the bitmap object.

Continuing Bézier:

A standard Bézier curve is composed of four points, but it is possible to draw a continuous curve which is built from a number of Béziers placed end-to-end. In this situation, the first point of the new Bézier is the same as the last point of the old one and the second point of the new Bézier is automatically chosen so that the two Bézier join together smoothly. *Conti-Sense* performs this automatically, while the additional curves are generated. To continue a Bézier:

- Hold down the CTRL key while generating the last two points of a Bézier as previously described. When you release the left mouse button to place the fourth point, the Bézier you have just completed will be drawn as usual. In addition, the first two points of a new Bézier will be placed automatically.
- Place the third and fourth points of the new Bézier as described above. If, while you do this, you keep CTRL depressed, you will have yet another half-completed Bézier at the end. You can link a



total of 30 Bézier together this way.

Constraining Bézier:

Hold down the SHIFT key to constrain either of a Bézier curve's tangent lines to 45 degree increments. You may constrain the first and last line segments of the Bézier curve, while freely placing the middle segment.

Line Width Tool

The Line Width selector is active for the Continuous Line, Ellipse, Box, and Bézier tools. Be sure to select the proper line width before generating the graphic. In Bitmap mode, once the line is drawn, you will not be able to edit it.



Colour

Colour should also be selected before the graphic is created. The foreground-colour selector affects every graphic tool, with the exception of the fill tool. The fill tool uses the background colour for its operation.

If the background colour is set to a colour or pattern then the Continuous Line, Rectangle, Ellipse, and Bézier tools will fill their areas with this selection. For example: if the background colour is red, and the foreground colour is black, using the Box tool will produce



a solid red rectangle with a black border. Experiment with these tools. They can produce some surprising results.

The background colour can be turned off by selecting the No Fill tool. This allows graphics to be created without any fill. The background colour can not be turned off, but setting the line-width to zero will achieve the same effect.

A Pattern Fill can be chosen instead of a background colour, and operates similarly. See Chapter 8: Graphics.

Save Bitmap

ComicSetter provides the ability to save an entire page, or just a panel, as a bitmap to disk. This powerful feature allows you to create a comic layout in ComicSetter, save it as a bitmap, and import this layout into any program which supports BMP graphics files.

This means your ComicSetter layouts may be imported into Professional Page and printed on a Postscript laser printer. Professional Page can also be used to professionally colour separate ComicSetter comics for colour offset printing.

ComicSetter layouts can also be imported into animation packages which support BMP graphic files.

To save a ComicSetter panel as a bitmap:

- Select Project/Save Bitmap/Panel... This will save the current panel as a bitmap graphic. After selecting this item, a Save Current Panel Bitmap As requester will appear on the screen. Enter the disk, directory, and filename to which you wish to save the bitmap.

To save a ComicSetter page as a bitmap:

- Select Project/Save Bitmap/Page... This will save the current page as a bitmap graphic. After selecting this item, a Save Current Page Bitmap As requester will appear. Enter the disk, directory, and filename to which you wish to save the bitmap.

10 STRUCTURED GRAPHICS



ComicSetter provides the ability to create Structured Graphics elements. Structured graphics are mathematically defined lines and curves. For this reason, they are completely editable and can print to the full resolution of the defined output resolution. Furthermore, structured graphics take up much less memory than bitmaps.

Creating

A think object does not have to be created prior to the actual creation of a structured graphic. As well, a structured graphic is completely editable with no restrictions to size, shape or colour once created. After a structured graphic is created, ComicSetter places a border around it, defining the object.

Graphic Mode Tool

Before attempting to create a structured graphic, make sure that the graphics mode tool is properly set to structured graphics mode. Then select any of the appropriate tools and start creating your graphic.



Line Tool

The Line tool allows you to create straight continuous structured lines in the same way as bitmap lines are drawn.

- With the Line tool selected, move the pointer to a starting position, click and drag out a line.

- Click the left mouse button at a second location; a line will be drawn from the first point to the second point. Continue clicking to create a connected sequence of lines.
- To terminate the line draw tool, double-click the left mouse button on the final point.



Closing Polygons

ComixScribe can automatically close polygons. Hold down the CTRL key while double-clicking to terminate the line function.

Constraining

Hold down the SHIFT key to constrain lines to 45 or 90 degrees. This is useful if you wish to create perfectly horizontal, diagonal, or vertical lines with little effort. Releasing the SHIFT key will allow you to resume creating lines at any angle.

Box Tool

The box tool allows you to create rectangular shapes.

With the Box tool selected, move the pointer to a starting location, hold down the left mouse button and drag out the rectangular guide.



Constraining boxes

Hold down the SHIFT key while creating a box to generate squares.

Ellipse Tool

The Ellipse tool allows you to create ellipses. With the Ellipse tool selected, move the pointer to the starting location and drag out the ellipse.



Constraining ellipses

Hold down the SHIFT key while dragging out ellipses to generate true circles.

Bezier Curves

The Bezier tool provides the ability to produce curves. This involves entering the location of four points, to which ComixScribe fits a curve. This function is performed



interactively so you will always see the curves as they are developed.

This is a very powerful graphics tool which requires some experimentation to fully master. The following brief guide illustrates the power available through the use of Bezier curves. To produce a Bezier curve:

- Select the Bezier tool, and move the pointer to the location of the first point.
- Press the left mouse button and drag out a line to the second point, and release the button.
- Move the pointer to the third location, and press the left mouse button again. While holding down the left mouse button, move the pointer to the location of the fourth point. ComixScribe will display the location of the 3rd point while you drag the pointer.
- When you release the button, the curve will be generated in the object.



Continuing Beizers:

A standard Bezier curve is composed of four points, but it is possible to draw a continuous curve which is built from a number of Beizers placed end-to-end. In this situation, the first point of the new Beizer is the same as the last point of the old one and the second point of the new Beizer is automatically chosen so that the two Beizer join together smoothly. ComixScribe performs this automatically, while the addition of curves are generated. To continue a Beizer:

- Hold down the CTRL key while generating the last two points of a Beizer as previously described. When you release the left mouse button to place the fourth point, the Beizer you have just completed will be drawn as usual. In addition, the first two points of a new

Bezier will be placed automatically.

- Place the third and fourth points of the new Bezier as described above. If, while you do this, you keep CTRL depressed, you will have yet another half-completed Bezier at the end. You can link a total of 50 Bezier together this way.

Constraining Beziere

Hold down the **SHIFT** key to constrain either of a Bezier curve's outer points to 45 degree increments. You may constrain the first and last line segments of the Bezier curve, while freely placing the middle segment.

Line Width Tool

The Line Width selector is meaningful for all of the structured graphics tools. Select the line width before creating a graphic. If an existing structured graphic object is selected, and the line width altered, that graphic will reflect this change. Structured graphics can be edited in this way at any time.

Colour

Colour can be selected prior to creating a graphic, or afterwards to modify a structured graphic. The foreground colour selector affects every structured graphics tool.

If the background colour is set to a colour or pattern then the Continuous Line, Rectangle, Ellipse, and Bezier tools will fill their areas with this selection. For example: if the background colour is red, and the foreground colour is black, using the line tool will produce a solid red rectangle with a black border. Experiment with these tools. They can produce some surprising results.

The background colour can be turned off by selecting the No-Fill tool. This allows graphics to be created without any fill. The foreground colour can not be turned off, but setting the line-width to 0 can achieve similar effects.

A Pattern Fill can be chosen instead of a background colour, and operates similarly.

Modifying structured graphics:

Structured graphics are moved in the same manner as are pencils or bitmap-objects. Simply use the left mouse button to grab the object and move it to the desired location.

Control Points

Structured graphics can be fully edited in size and shape. When a structured object is selected, control points will be visible surrounding the graphic. Any of these control points may be grabbed and moved to change the shape of the graphic.

Scaling Structured Graphics

Holding **L-ALT** while an object is selected will cause eight control points to appear around the object's frame. Grabbing and moving control points while still holding **L-ALT**, will scale the entire object to a new size. This procedure was discussed in detail in Chapter 5: Graphics; Scaling.

Box and Ellipse

These structured graphics have eight control points, one at each corner of the frame, and one at the midpoint of each line. Grabbing any of these control points and moving it is similar to re-sizing a point. When a control point is moved, the graphic itself will resize, showing you exactly how it is being changed.

Lines

Control points in continuous lines are located at each joint of the line. If only one line segment exists, there will be a control point at each end of the line. Grabbing any of the continuous line control points will allow you to move the location of that point, while all other points remain stationary.

Bezier Curves

Bezier curves possess the most advanced form of control point manipulation.

Initially, only two control points are visible in a standard, non-continuous Bezier curve.

These two points will be at the ends of the curve.

Clicking on either of the control points will display a tangent line and another control point at the end of the tangent line. The direction of the tangent line defines the direction of the curve as the control point where the curve meets the tangent line. The length of the tangent line defines the magnitude, or degree of curvature in that segment.

To change the location of the second control point, or the length of the tangent line, grab the control point at the end of the tangent line, and move it to the desired location. Moving the original control point, at the base of the tangent line, will keep the secondary point, at the end of the tangent, anchored. If you wish to move the whole tangent line, without changing either its location or its length, hold the Left-Alt/Analog key while moving the original control point. The entire tangent line will move at once.

Continuous Bezier

When you click on one of the control points connecting two Bezier's, you get a tangent line extending in both directions, with a new control point at each end. In this situation, each tangent line can be edited independently as previously described.

If the Left-Alt/Analog key is held down, the changes in one tangent will be reflected in the other. For example by holding down the Left-Alt/Analog key and changing the length and rotating the tangent by 45 degrees, the other tangent will also change in length by the same amount, and rotate 45 degrees in the opposite direction. The rotation is always around the base control point. If the Left-Alt/Analog key is held while moving the the center control point, all three points will move together. This has the effect of keeping the curve smooth as in (a). If the tangents are moved independently, as in (b), a curve with sharp points may result.

The only way to completely understand the full use of Bezier curves is to experiment. By moving the control points, it will only take you a few minutes to learn the basis on which Bezier curves operate.

Attributes

Structured graphics are objects, just like bitmap and text objects. All of the attributes discussed in the Chapter 8: Graphics, fully apply to Structured graphics.

11 TEXT



Text can be added to ComicSense layouts in two ways. The first is by integrating text with bitmap objects. The second way is to create text as a separate object. The advantage of creating separate text objects is the ability to edit that text at a later time. If text is integrated as part of a bitmap, it is a permanent addition.

Text in Bitmaps

To place text in a bitmap object:

- Select the bitmap object and make certain that the Graphics Mode tool is set to the Bitmap mode.
- Select the Text Tool from the tool palette. The pointer will change to a crosshair signifying that the location for the text can be defined.
- Drag out a rectangular guide, defining the text location. ComicSense will produce an Image Text rectangle.
- Type the text into the text line and press Return. The text will appear as part of the bitmap.



Text as an Object

To create text as a separate object:

- Make certain that the Graphics Mode tool is set to Structured Graphics.
- Select the Text tool from the tool palette. Again, the



pointer will change to a cross-hair. ComicScript is waiting for an object to be created, into which the text will be placed.

- Drag out a text area. As in the bitmap mode, ComicScript will present you with an Enter Text response.
- Type the text into the text line and press RETURN. ComicScript will create an object and place the text within. The location of the text within the rectangle you drag out depends on the Text Format specified, whether you're adding the text to a bitmap, or creating a text object. For an explanation of text formats, see Formats later in this chapter.

Modifying Text Objects

Text located in bitmaps can not be directly modified. However, text in text objects can be altered.

The size of the object can be modified in the same way as other objects:

- With the object selected, grab any of the control points around its frame and drag it to the new size. The text inside will resizes accordingly.

Although you are changing the physical size of the object, you cannot change the size of the text. To do this, you must select a different font, or font size. See Fonts, later in this chapter.

Changing the Actual Text

To edit the text in a text object:

With the text object active, choose Text/Edit. The familiar Enter Text response will appear, allowing you to edit the existing type.

Text Attributes

Many text attributes may be selected, including the font used, style of text, and the text format. All of these attribute items are located in the Text menu.

Fonts

Selecting Text/Font... produces a Fonts response. This response allows you to change to a different font type.

- Move the pointer over the desired font and click the left mouse

button. Most fonts have multiple sizes listed on the far right-hand side of the responder.

- Select the proper size.

Style

Each font can have various styles assigned to it. Underlined, Bold, and Italic. Any combination of styles can be selected simultaneously. These styles apply to the entire text object, unless overridden by embedded codes (see below).

- Select Text/Style and choose the attributes that you wish your text to have. When an attribute is selected, a checkmark will appear to the left of it.
- To turn off all style attributes, select Text/Style/Plain.

Formats

Text can be positioned within Text objects in three ways: Left, Right, and Center justified.

Select Text/Format and choose the format that you wish your text to have. Only one of these may be chosen at a time for any given Text object. A checkmark will appear to the left of the chosen format.

Embedded Codes

You can add codes directly into your text. Most of these codes control the various text styles, such as Bold, Underline, and Italic, overriding the styles chosen from the Text/Style submenu. The codes themselves will not be displayed or printed.

Insert these codes while entering text in the Enter Text response, when you want to have a single text object containing more than one style of text.

Code	Function	Effect
B	Turn BOLD on	BOLD
b	Turn Bold off	
<u>U</u>	Turn Underline on	<u>UNDERLINE</u>
<u>u</u>	Turn Underline off	
<i>I</i>	Turn Italic on	<i>ITALIC</i>
<i>i</i>	Turn Italic off	

/n	New Line	
/p	Turn off all styles	PLAIN
/t	A "Y" character is displayed	

Several of these codes may be used in conjunction with one another. For example, if you entered:

Hello {italicize}, Bob

ComicSetter would produce:

Hello there, Bob

Colour

Text will always appear in the current foreground colour. If the text is a Text object, then the colour can be changed by the same method as for changing colour of a structured graphic. Background colour is not used in Text objects.

With the text object selected, change the foreground colour. The text colour will change accordingly.

Object Attributes

A Text object behaves in all other objects do and can be further modified using the *AlterCurrent...* selection as described in Chapter 8: Graphics.

12 BALLOONS



Speech balloons add a special dimension to our favourite comic characters. There are several different types of speech balloons. Some are rounded (used when characters are talking), and others are jagged (showing force or a strong action).

ComicSetter provides the ability to create several different types of speech balloons in various sizes, place text within them, and drag the speech tails. Since speech balloons are specialized structured graphics, the tail, or any other part of the graphic can be edited. This text element is a text object grouped to the structured graphic.

Creating the Balloon

- Click on the Balloon Tool. The pointer will change into a cross-hair.
- Drag out a frame for the size of the speech balloon.
- ComicSetter will present an Enter Text response. Enter the text in the text line. The speech balloon will be created using current line width, colour and balloon attributes.



Balloon Attributes

Balloon attributes must be set before creating the balloon. Other than colour, line width and text contents, there is no method of changing attributes after the balloon is created.

To select balloon attributes:

- Double-click on the Balloon tool in the tool palette. ComicSetter will present a Balloon requester containing optional settings.



Shapes

Classic Editor provides six different balloon shapes, all of which are editable. Clicking on any of the shape diagrams will select that shape.

Features

Certain balloons can be selected to have level or jagged peaks. When level is selected, all of the peaks will be of equal size. When jagged is selected, some peaks will be higher than others.

The P Peaks counter indicates the number of peaks and control points that your balloons will have. The default value depends on the shape of balloons that you are using.

The Peak height controls the height of the peaks above the "valleys" between them. Any value between 0 and 100 is allowed. Using a peak height of 0 will result in an ellipse being generated with the number of control points that were specified on the P Peaks line.

Editing the Balloon

A balloon is really a group containing two components: a text object and a structured object. In a standard speech balloon, the text object is within the structured object. To modify the balloon or the text, the group must be entered and the appropriate component must be made active. For more information on groups, see the Chapter 14: Groups. Only a brief summary is given here.

To select either of the objects in a balloon:

- Click on the balloon to select it. The two objects in the balloon will become visible if Preferences/Show Boxes is turned on.
- Hold down the CTRL key while clicking on one of the two objects.

That object will become active. Once a balloon is entered, you can simply click on the object that you wish to edit. The frame of that object will turn from dotted to dashed and control points will become visible.

Structured Component: Adding a tail

The graphic part of a balloon is simply a structured graphic with many segments – either a continuous line or a Bezier curve. Any editing that is possible with a normal structured graphics is possible with the balloon. Adding a tail has been simplified by grabbing and moving any control point to its desired location, dragging out a speech tail. As with normal Bezier curves, clicking on any control point will bring up the tangent lines for finer control of the graphics.

Text Component: Editing

Once a balloon is entered, selecting its text object will allow it to be edited just like any other text object. Therefore, by grabbing the visible control points, you can adjust the size of the object. Choose Text/Size to edit the actual text. For more information on Text objects, see Chapter 11: Text.

Other Attributes

A speech balloon's Color and Line Width attributes can be chosen before the balloon is created, and modified afterwards. These features work the same way as with other graphic objects. For more information on Color and Line Width attributes, see Chapter 8: Graphics.

In the same way, a balloon's text attributes can be chosen, before or after creating the balloon, using the Text menu.

13 EDITING



Gomicalater provides many tools to assist in object editing. One of the most useful tools is the **UNDO** command. Other commands allow you to move, duplicate, and delete panels and objects.

Undo

Selecting **Undo/Undo** reverses the immediately previous change or delete that you might have invented. This applies to panels, and all types of objects. Pages are excluded from the Undo features.

Some operations cannot be undone. If the most recent operation is not undoable, the **Undo/Undo** menu will be grayed-out to indicate this. **Ctrl-Selecting Undo/Cut** will remove the selected objects or panels from the screen, placing them in the **Paste Buffer**. The **Paste Buffer** is a temporary storage area for panels and objects. The contents of this buffer can be recalled at any time. Therefore, you can **Cut** an object from any page and **Paste** it onto another page. **Cut** cannot be undone with **Undo**. **Paste** is the only way to reverse the effects of a **Cut**. Once an object or panel has been cut, it remains in the paste buffer until **Cut** or **Copy** is selected again.

Copy

UndoCopy is similar to **Cut**, except that the selected panels or objects will not be erased from the screen. The **UndoCopy** selection transfers a copy of the object or panel into the **Paste Buffer** without affecting the original. This command is used in conjunction with the **Paste** command.

Paste

Selecting **Edit>Paste**, after a **Cut** or **Copy** command, will transfer the objects or panels in the **Paste Buffer** back into their original locations on the current page. For example, a panel **Cut** from the top position of one page will **Paste** into the same location on the current page. It is possible to **Paste** an item several times, onto the same page or different pages. Each new copy will be placed on top of the original object. You are then free to move the copies to new locations.

Note: When **ComicScribe** Pastes an object or panel, it will make that item active. In the case of a panel, the panel will be active even if there are several objects in the panel. If you select the **Paste** item again, **ComicScribe** will produce an error message. The reason for this is that you would be trying to paste an object into an object, or a panel into a panel, and this is not possible. You can, however, paste an object into a panel. A **Paste** command will copy an object from the **Paste Buffer** into the current panel, regardless of the panel's position on the page.

Erase

Selecting **Edit>Erase** permanently deletes the selected objects or panels from the **ComicScribe** layout. This allows you to delete objects without affecting the object or panel in the **Paste Buffer**.

Duplicate

The **Edit>Duplicate** selection is convenient for creating several copies of objects or panels. Simply select the object or panel that you wish to replicate and select the **Duplicate** function. **ComicScribe** will place the second copy slightly below and to the right of the original, so that it may be easily grabbed and moved. The **Duplicate** command will not affect any objects or panels in the **Paste Buffer**.

After a **Duplicate**, the new copies of the items will be active, rather than the originals. The copies can therefore be moved together to a new location, by grabbing one of them while holding down the **ALT** key.

Flip

The **Edit>Flip** selection allows you to create mirror images of active

objects or panels. This incredibly useful feature greatly multiplies the **ComicScribe** **Clip-art** options.

When you select **Edit>Flip**, a sub-menu of two choices will appear:

- **Horizontal:** **ComicScribe** will flip the contents from left to right, resulting in a mirror image.
- **Vertical:** This will flip the contents from top to bottom, resulting in an upside-down image. Lock **Selecting Layout>Lock** will protect the active panels or objects from any further changes. A locked object can not be moved or modified in any way. If a panel or group is locked, all of the objects it contains will also be locked.

Detach

Selecting **Layout>Detach** will detach the selected object or panel, allowing you once again to move, modify, or delete it.

Align

This command aligns all of the selected items, either relative to each other or relative to the panel or group which contains them. It is possible to align items horizontally or vertically, or both at the same time. In the horizontal division, if you choose **Left** (or **Right**), the items will move so that their left (or right) edges all line up. If you choose **Center**, the items will move so that they are all centered on the same vertical line. Vertical alignment works similarly, aligning the items' top or bottom edges, or centering the items on the same horizontal line.

To align a set of objects or panels:

- Select all of the items that you wish to align. See Chapter 3: Panels, for more information on selection.
- Select **Layout>Align...** **ComicScribe** will present an **Align** requestor.
- Choose the desired alignment options.

Aligning to Parent:

There are two basic ways to align items. These are controlled with the **To Parent** option in the **Align** requestor.

If **To Parent** is chosen, all of the items will be aligned relative to their parent item. They will move to the edge of the parent's frame, or will be centered within it, depending on the options you choose in the **Vertical** and **Horizontal** sections of the requestor. It is possible to align

just one item **To Parent**. The parent of an object is the group or panel of which it is a member. This is also the parent of a group. All of the panels on a page have the same parent – the page itself.

If **To Parent** is not chosen, **Consistency** will align relative to a frame which just surrounds all of the selected items. Thus, if you align **Left**, the program will find the leftmost of all the selected items, and will move the rest of the items to line up with it. **Right**, **Top**, and **Bottom** work similarly. If you **center-align** without choosing **To Parent**, the program will choose, from among the selected items, the left edge which is furthest left, and the right edge which is furthest right; it will then move each of the selected items so that its center is half-way between those two edges. Although possible, it is useless to align just one item without **To Parent** – every item is already aligned relative to itself.

14 GROUPS



The purpose of a group is to join several objects together, allowing you to move and modify all of them at once. For example, grouping a graphic character created from several pieces offers the obvious advantage of moving the complete character as a whole, without moving all of the pieces separately and reassembling them. Note: objects and groups can be grouped; patches cannot.

Creating

- Select all of the objects that you wish to include in the group. The objects must all be from the same panel. For more information on the methods of selecting and extended selecting objects, see Chapter 5: Graphics.
- Once all of the objects to be grouped have been selected, use the **Layout>Group/Operation>Group** function to make the selected objects into a group. A frame surrounding all of the selected objects will appear. The borders of the individual objects will change from dashed (selected) to dotted (deselected).

When the group is not selected, the borders of the individual objects in the group will disappear, and only the group border will be visible.

Reselecting, Moving and Scaling

Once a group has been created, it acts just like any other object. It can be selected, moved, and scaled using the methods described for objects in Chapter 5: Graphics. When a group is moved or scaled, all of its members will move or scale along with it. It is most necessary (not possible) to explicitly **resize** a group. Whenever a group's members are

changed, the group's frame will automatically be adjusted to exactly contain them.

Altering

Selecting **Align/Current...** will produce the *Group Attributes* requester. This requester allows you to exactly specify:

- **Position:** The group relative to the panel.
- **Scaling:** The horizontal and vertical scaling factors that will be applied to the group.

Ungrouping

To ungroup a selected group of objects, select **Layout/Group Operations/Ungroup**. The group's members will still exist, but they will no longer be in a group. They will all be selected, making it easy to deselect a couple (using **L-Apple-Click**) and regroup the rest.

Entering a Group

There are times when it is necessary to modify one object within a group. To enter a selected group and gain access to its individual members:

- Hold down the **CTRL** key while clicking the pointer over the member to be made active. The object will become active, allowing full access. Once a group has been entered all of the objects within that group are accessible by clicking on them. Extended selection is also possible at this point.

If an object within a group is modified, the group frame will redjust to accommodate the change.

If the group contains a sub-group, enter the group and then use the same procedure to enter the sub-group.

To leave a group, just click anywhere other than in any of the group's members. The group's members will no longer be individually selectable.

15 PREFERENCES



Display

Boxes

To turn the display of borders on or off, select **Preferences/Show Boxes**. A checkmark will appear to the left of the menu item if boxes are turned on.

The only borders displayed will be those of the current active objects, and their corresponding panels. Turning on **Preferences/Show Boxes** causes all objects (and panels to be displayed) with borders around them. These borders may be dashed, solid, or dotted depending on the current state of the object.

Gadgets

There are situations where maximum screen viewing area is desired, especially when editing very large panels. *ComicCenter* provides the option of making the tool palette disappear, increasing your viewing area by about 10%. To turn the tool palette display off, select **Preferences/Show Gadgets**.

Fast Move

ComicCenter has a method for moving objects very quickly. By default, **Preferences/Fast Move** is selected. This setting allows objects to be moved quickly, by only displaying the frame of the object being moved. When **Fast Move** is turned on, a checkmark will appear to the left of the menu item.

When the **Fast Move** option is turned off, the contents of the moving object will be visible providing for accurate positioning. The disadvantage of this is that *ComicCenter* may take a second longer to prepare the object to be moved.

Interface

Selecting Preferences/Interface will double the ComicBooker screen resolution allowing you to view twice as many vertical lines. The disadvantage of the interface mode is the "flicker" effect which occurs on most monitors. A high-persistence monitor will help to eliminate this flicker.

Page Cache

Turning on Page Caching allows work on very large documents with out placing a great strain on the Amiga's memory availability. With Page Cache on, ComicBooker will temporarily store most pages of your document on disk. Only the current page will be in memory. The disadvantage of Page Caching is that it may take a few extra seconds to move from one page to another. The advantage gained is a comic whose size is only limited by available disk space.

Selecting Preferences/Page Cache produces a sub-menu containing two items:

- Use Page Cache is a switch to turn the feature on or off.
- Set Directory... displays a Page Cache Directory requester which is used to select the disk and directory in which ComicBooker will store the non-current pages.

Available Memory

Selecting Preferences/Available Memory... displays an Available Memory requester. This requester shows you the total free memory currently at the Amiga's disposal:

- Chip: This value shows the total free amount of Chip memory.
- Fast: If any memory boards are attached to the Amiga, this value shows the total amount of Fast memory available.
- Chip Largest and Fast Largest: These show for the two types of memory, the size of the single largest available chunk of memory of that type.

16 PRINTING



Environment Setup

Before it is possible to print any comics, the Amiga must be informed of the type of printer is connected to it, using the Preferences program. This can be done any time before Project/Print... is selected, either before starting ComicBooker or while it is running. If Preferences is run while the Print requester is active, any changes made will not take effect until the next time you select Project/Print...

Print

Selecting Project/Print will produce a Print Document requester, providing the necessary options for printing the document.

- From Pages X to Y: allows a range of pages to be selected for printing. By default, ComicBooker will print the entire document. Click in the page lines to specify the range of pages to be printed.
- # Copies: ComicBooker will print this many copies of each of the requested pages. The default number of copies is 1.
- DPI: In this setting, ComicBooker will scale the page as required to make it fit on the physical page in the printer.
- Custom: gives you control over scaling factors that are applied during printing. A 1.0 by 1.0 scale instructs ComicBooker to print every pixel with no scaling. Depending on these values, the output may be larger or smaller than the page on your printer. If it is larger, only part of the page will actually be printed.
- Density: Depending on the selected printer, several print densities may be available for use. Click the pointer over the appropriate density to select it. The DPI value will display the actual dots per

look for the chosen density.

- **Colour:** The colour setting tells ComicSetter to print comics in their original ComicSetter colours. The colour quality depends greatly on the type of colour printer connected to the Amiga. This setting should not be used with a Black & White printer.
- **Grey Scale:** If this setting is used, ComicSetter will convert all colours into appropriate grey shading that your printer can output. The grey shades are created by different patterns of black dots which give the appearance of a solid grey colour, a technique used in news paper photographs. The type of Dithering pattern is selected using the Dither setting gadget in this requester.
- **Black & White Printing in Black & White** will force all colours to be either black or white - no grey-scaling will be attempted. A colour comic may not output satisfactorily when printed in Black & White mode. In Black & White printing, there is a threshold, any colour darker than the threshold will be printed in black; the rest of the pixels will be white. Although this threshold cannot be changed within ComicSetter, you can change it using *Workbench Preferences*.
- **Dither:** ComicSetter provides three settings for grey scale patterns:
 - **Ordered:** Which requires bits with uniform placement of light and dark pixels.
 - **Halftone:** which creates bits with dark or light pixels radiating from a central point. This emulates the dots of a newspaper's halftone photograph.
 - **Floyd-Steinberg:** which creates bits with a randomised placement of dark and light pixels. Experimentation is the best way to determine which of these settings produces the best quality output on your printer.
- **Smooth:** If any spread scaling is performed, the Smooth function helps ComicSetter to smooth out some of the jagged edges common to dot matrix printers. The degree of improvement depends on the printer and the amount of scaling. Smooth cannot be used together with Floyd-Steinberg dithering. Selecting either of these turns off the other one.
- **Correct:** This function helps ComicSetter to most closely match the printed colours to the screen colours. Of course, this is only

applicable when using a colour printer.

- **Manual:** This feature allows single manual sheet feeding to the printer. ComicSetter will wait after each page for any key to be pressed, before continuing with the next page.
- **Exit:** When using this option, ComicSetter will eject the last page of your comic from the printer.
- **Start:** Clicking on this gadget will instruct ComicSetter to start printing using the selected attributes.
- **Pause:** This gadget can only be activated while ComicSetter is printing. Selecting Pause instructs ComicSetter to temporarily stop printing until either Resume or Cancel is chosen.
- **Resume:** This selection will start printing after it has been stopped by Pause.
- **Cancel:** Will abort the printing operation, returning you to ComicSetter.
- **Quit:** Clicking on this gadget will abort from the Print Element requester, returning you to ComicSetter.

Environment Setup

There are times when ComicSetter must produce either a comic which looks good on the screen, or one which looks good when printed - it can't do both at the same time. For example, when you use **L-SHIFT** with the **Ellipse** tool to draw a circle, what you see on the screen is very unlikely to be circular, it will, however, appear circular when printed. In order to do this correctly, the program must know, while you are creating a comic, the resolution of the printer on which it will be output.

When ComicSetter first starts up, it checks the printer settings you specified to the *Preferences* program, on the assumption that they describe the printer you will be using to output your comics.

If you plan to use a different printer than the one in your *Preferences* (for example, if you're working at home, but plan to use a friend's colour printer for your final output), you should tell ComicSetter about this so that it can get things right. To do this:

- Select the *Project/Environment Setup...* menu item. An *Environment Setup* requester will appear.
- Enter the resolution (dots per inch, or "DPI") for the printer you will

be using the post final output. If you create a comic with the wrong printer resolution, everything will still work OK, but the final output won't look quite as good as if the correct resolution had been used.

If, when the program starts up, the printer information is not available, the settings for a common type of printer (an Epson) will be used, and you will be told about it so you can change the settings to the correct ones for your printer.

17 COMIC HINTS



Comics have been a part of popular Western Culture for well over fifty years. From the first comic books, which reprinted daily newspaper strips on poor-quality newsprint in black and white, to the sleek, full-colour graphic novel format of today, this art-form has remained a part of our daily lives.

Along the way, comics have defined their own language – a vocabulary which relies, not only on the traditional understanding of text, but also on the reader's visual experience. Comparisons may be drawn here to movies and television programs, which have a similar vocabulary. In fact, very few movies or TV shows, if any, make it to the production stage without storyboards, which are nothing more than comic book representations of the future.

Panel and Balloons

The comic book format represents an interplay of word and image, two distinct forms that have a common origin. It is through the manipulation of these elements, in the form of sequential image panels and word balloons, that we may tell a story. The panel and the balloon are the basis of a comic book vocabulary.

The panel, besides being a way to frame an image, is the device comic books use to indicate time. Panel shape and size has a lot to do with the way the reader will interpret the passage of time.

For example, a series of small panels can indicate a very quick time span, while a single large panel may translate as the slow movement of time.

Therefore, the panel not only defines the parameters of the action it

captures, but also establishes the reader in relation to the scene, and indicates the duration of the event. But remember, it is not only the panel itself that expresses elapsed time, but the modeling of images, symbols and word balloons within the frame. You can almost think of panels as literary punctuation. Some panels may act as commas between sentences, while others may be semicolons or periods. Balloons, which are used to contain speech and sound, may also be used to indicate time.

A good comic book must also have a sense of rhythm. In fact, timing and rhythm go hand-in-hand. Think of a series of small, thin panels as a staccato beat, leading up to a large-panel crescendo, which in turn becomes a simple harmony of evenly-shaped panels. A comic page can be like music for the eyes.

Of course, the tone of the panel rhythm will be affected by the actions they contain. For example, panels of a lady applying makeup denote a certain time rhythm based on common experience. Other possible scenes that would help communicate a believable meter of time are such things as a chipping faucet, starting a car, or smoking a cigarette. Using these devices in a comic book will allow the reader to sense the passage of time based on his own experience; after all, nearly everybody knows how long it takes to start a car or smoke a cigarette.

Painting Devices

Besides giving us a way to express time and rhythm, panels also act as a frame for ideas, thoughts, actions, and scenes. The artist must think in a sequential fashion to properly communicate the story. Because you can illustrate only so much of a story, the skill is in choosing which concepts to preserve from the continuous flow of events. If the artist has done her job properly, the reader will have no problem in imagining the events between the key panels the artist has decided to depict.

It is important for the comic book artist to control the reader's attention. While it is impossible for the artist to stop the reader from going to the last panel on a page before reading the first, there are devices the artist can use that will help in leading the reader's eyes, and therefore in directing the flow of the story. There are simply called pointing devices.

Research has found that when people look at a page, the eye usually enters at the left side near the top. Unconsciously this is because readers have



In panel 1, the reader looks into page, directing reader's eye to panel 2. The running figure in panel 3 has a right-side motion, leading the reader's eye to panel 4 and finally, the character leaps into action and into the page, forcing the reader to look at panel 4.

always started to read from that corner on a page and the eye has formed the habit of looking there the minute it glances at a sheet of paper. Panel arrangements on the page assume this.

From this point, it has been found, the eye leaps to the center of the page, just above the middle (in graphic design this area is known as the focal point) and then, unless held by something interesting, it passes downward and to the right, passing off the page.

Nevertheless, the reader must return to the conventional pattern if he is to read the story fully. There are, however, "rules of thumb" that help to keep the reader's eye directed in the proper manner. For instance, the artist should keep figures, faces, or objects in the outer panels pointed towards the next panel in the sequence. If this is not possible because of the story-line, other devices such as shadows or background design should be incorporated to this end.

Composing the Panel

Each panel is like a miniature illustration, and as a result, all the rules of composition and design apply. It is up to the artist to decide what perspective the

reader will be looking at, the action that occurs, and what elements will be necessary for the narration of the story.



Using a full figure, and changing the panel size, you can achieve a variety of depths:

1. Full Figure
2. Medium shot
3. Close up

Note that a small close-up panel is shown can be used as an "INSERT" panel for longer panels.

The artist usually has a choice of three basic depths in representing the action in a panel.

They are the close-up, the medium shot, and the full figure or long shot. Using these various depths intelligently helps in the pictorial rhythm and flow of the story. We do a story as all close-ups, or all long shots, would result in a very tedious and boring comic book, although such repetition can be used to advantage in newspaper comic strips, where the whole of the narration takes place in three or four panels.

There may also be occasions when the artist will find it necessary not to outline the action in a panel, or to use the panel border as an indication of a doorway or window. These creative uses of the panel border are only limited by the artist's imagination.

Tips on Utilizing CLIP-ART

With Comic Artist, there is a broad range of clip-art available to help you in the creation of a comic book. This clip-art, some of which is not CU Artist's copyrighted material, is presented in Figures, Backgrounds, and Props.

In the use of this clip-art, it is not always necessary, or desirable to

use the full background or figure as provided. Our picture may provide you with a number of different backgrounds when converted to small



The full scene/background as provided on the clip-art disk.



An example of three different backgrounds using only one full background as the basis.



panels. A full figure may be also used in a variety of ways. Some examples are shown above.

It is also not always essential to have a full background in a panel. Some panels will work very well with no background, just characters, and other panels may require just a few props. You may require no more than a portion of a window and a doorway to



All examples of using the close and medium groups to create a background for the characters.

indicate to the reader that your characters are in a room.

The figures have also been given a very generic look. This was done to leave room for you to individualize them yourself. For example, you could add a monocle, beard, or eye patch to the character and thereby create a wholly new character. Hair and skin-color may also be changed, giving you the option of using characters from other races.



By changing the hair color, thickening the eyebrows, and adding a mustache and eye patch, the face instantly becomes the villain.

In Closing

Comic books are an exciting and popular medium, and as a result, have been embraced by people the world over. In France, Italy and Spain, comics have become just as valid an art-form as painting or sculpture. In Japan, comics are a multi-million dollar business where the creators enjoy the same fame as rock and roll stars in North America. In China and Russia, comic books have been used for years as educational tools. It seems that anywhere you go, you're bound to run into comic books.

in one form or another. People always have something to express, a story to tell. The problem has been that some people have more trouble than others in telling their story. With Constructive, the obstacles have been removed – you have in your hands an easy and fun way to express your thoughts and ideas, to tell that joke, to relive those memories ... even if you can't draw a straight line!

APPENDIX A

Keyboard Shortcuts

Many of the gadget and menu functions can be accessed using keyboard shortcuts. The following list contains all the menu items and sub-items which have shortcuts. Note that the same convention followed in the rest of the manual is followed here:

An asterisk to hold the right *Alt* key down and press key "x"

Project Menu

Project/New	A N
Project/Open	A O
Project/Save	A S

Edit Menu

Edit/Undo	A Q
Edit/Cut	A X
Edit/Copy	A C
Edit/Paste	A P
Edit/Duplicate	A D
Edit/FlipHorizontal	A H
Edit/FlipVertical	A V
Edit/Select All	A A

Layout Menu

Layout/Group Operations/Group	A G
Layout/Group Operations/UnGroup	A U
Layout/Hide Page	A T
Layout/Link	A L

Preferences Menu

Preferences/Magnify/Zoom	A 1
Preferences/Magnify/Zoom	A 2
Preferences/Magnify/Fullpage	A 3
Preferences/Magnify/Close	A 4
Preferences/Snap to Grid	A R
Preferences/Show Gadgets	A M
Preferences/Interface	A J

Test Menu
Test Light
Test Print...

A, E
A, W

Keyboard Modifiers

The following chart summarizes the keyboard modifiers, and the mode in which each operation functions.

To use a desired function, press the specified Modifier key while clicking in the appropriate area with the left mouse button.

The **Fails** column (below) is in effect when a keyboard modifier is used for an editing operation, i.e. clicking or grabbing any visible control point.

The **Selection** column (below) is in effect when a keyboard modifier is used in a selection process, such as clicking inside the body of an object.

Modifier	Selection	Fails
Cursor	Select Single Object	
Left-Shift	Extend Select Object	Constraint
Right-Shift	Extend Select Panel	Constraint
Left-Alt/Amiga	Deobject Object	Move Tangent point with points
Right-Alt/Amiga	Deobject Panel	Move Tangent point with points
		Scale Panels or Objects
Left-ALT		
Right-ALT	Select Single Panel	
CTRL	Descent into group	Close Polygon Continue Bezier

In the **Fails** column, there is no difference between the left and right Shift keys, or between the left and right Amiga keys.

APPENDIX B

1.3 Printer Information

ComicScript comes with Workbench 1.3 version of the printer drivers and printing system software. This version provides greatly improved printing speed, selectable printer resolution, and optional smoothing on high resolution printers. This software also offers a large number of user adjustable options to control the printer, such as different types of color conversion algorithms, forced integer scaling, optional screen to printer color conversion, and a number of ways of specifying limits on the final printed size. All of these options are controlled by the Amiga Preferences program.

Since ComicScript needs a great deal of control over the appearance of the final printed, most of these options are either ignored or overridden by ComicScript. For example, when you check the Smooth option in ComicScript's printer requester you are overriding the AntiAliasing setting in Amiga Preferences.

There are, however, a few settings in Amiga Preferences that ComicScript does not control, and you must set them up properly. They are:

Printer Name and **port**, name of wide printer. The following sections describe how to set up these settings.

Printer Name and Port

You must specify in ComicScript the name of the printer you are using, and whether to use the parallel or serial port for communication with this printer. When you set the printer name what you are really doing is selecting a printer driver from the ones provided by Commodore. If you are using a printer that is not one of the ones listed, and is not compatible with any of them either, you must obtain a printer driver specifically written for your printer.

- Double click on the Preferences icon in the System-disk.
- When the Preferences window is displayed, click on the Printer button. The printer setup window will be displayed.
- At the top right of the printer setup window is a list of printers. Click on the up and down arrows next to this list until the name of the

printer you are using is in the center of the list (in the output column). If your printer is not listed, check to see if your printer is compatible with any of the printers listed (many printers are Epson compatible). If so then use that printer setting. See the printer driver listing later in this appendix for a list of what printer drivers to use for various printers.

- To the left of the list of printers are icons for using the serial or parallel ports. Click on the parallel icon if your printer is connected to the Amiga's parallel port, or click on the serial icon if your printer is connected to the Amiga's serial port.
- Click the OK button in the lower right corner. The main Preferences window will be displayed.
- Click on the Save button in the lower right corner to save these Preferences settings.

Narrow or Wide Printer

Many printers are available in both narrow (8 inch) and wide (13.56 inch) carriage version, and several of Commodore's printer drivers are designed to be used with either type of these printers. However, you must tell the printer driver what type of printer you are using.

- Double click on the Preferences icon in the System disk.
- When the Preferences window is displayed, click on the Printer button. The printer setup window will be displayed.
- If you are using a narrow carriage printer, click on either U.S. Letter or Narrow Tractor in the paper size section. If you are using a wide carriage printer, click on Wide Tractor in the Paper Size section.
- Click on the OK button in the lower right corner. The main Preferences window will be displayed.
- Click on the Save button to save these Preferences settings.

Print Density

Most graphics capable printers can use several different resolutions when printing graphics. Now with the version 1.3 printer drivers and printing system software is the ability to control the print density (or point resolution) of the printout. Although setting a higher resolution will slow down the printing, you can potentially obtain much nicer results, especially when you choose the finest option in

ComiCletter's Print requester. If your printer supports multiple graphics printing resolutions (and if the printer driver also supports multiple resolutions), you should try each of the different resolutions to see the effects, both in quality and printing speed. Then choose the one that you prefer as your normal setting.

Print Density is controlled from within ComiCletter's Print requester, thus there is no need to set it in Amiga's Preferences.

Printer Specific Information

Below is a list of the graphics capable printer drivers supplied by Commodore at the time this manual went to press, along with information about what printer that driver supports, whether it supports wide carriage version of the printer, and what printer resolutions the Print Density option sets.

CalComp ColorMaster

CalComp ColorMaster2

These two drivers are identical except that the ColorMaster2 driver is approximately twice as fast, requires considerably more memory (up to about 1.2 megabytes for a full page printout). No special features.

CBM MPX2000

For Commodore's MPX1000 printer and all IBM compatible printers. Wide carriage version are supported. Two densities are supported: 120 by 72 DPI, and 360 by 72 DPI.

Diablo C-100

For the Diablo C-100 and compatible printers. No special features.

Epson/2

For both black & white and colour version of the Epson LQ and LQ compatible printers. Uses 24 pin graphics mode. Wide carriage version are supported. Four densities are supported: 90 by 180 DPI, 120 by 180 DPI, 180 by 180 DPI, and 360 by 180 DPI.

EpsonX

For both black & white and colour versions of the Epson RX, FX, LX, LX, MX, RX, and compatible printers. Wide carriage version are

supported. Two densities are supported: 120 by 72 DPI, and 240 by 72 DPI.

HP LaserJet

For the LaserJet, LaserJet Plus, LaserJet Series II, and compatible printers. Four densities are supported: 15 by 72 DPI, 300 by 180 DPI, 150 by 120 DPI, 300 by 300 DPI. HP PaintJet for the HP PaintJet printer. No special provisions. ImageWriter II For the Apple ImageWriter II printer. Seven densities are supported: 80 by 72 DPI, 96 by 72 DPI, 120 by 72 DPI, 120 by 72 DPI, 136 by 72 DPI, 144 by 72 DPI, and 160 by 72 DPI.

Okidata 2920

For both the Okidata 291 and 293 with IBM interface modules. Use 16 pin graphics mode. Wide carriage version are supported. Two densities are supported: 120 by 144 DPI, 300 by 144 DPI.

Okidata 92

For the Okidata 92 printer and Okidata 291 and 293 with standard interface module. No special features.

Okidata 30

For the Okidata 30 printer. No special features.

Neos 4020

For the Neos 4020 and compatible printers. This driver is identical to the driver for the Diablo C-150 except it prints all black dots twice in order to produce much more solid and darker black shades. If you don't want this feature then use the Diablo C-150 driver. No special features.

Additional Notes

Some Epson and Epson-compatible (and IBM compatible) printers have poor line spacing. If you notice tiny white lines between each horizontal strip of single dots, try selecting a paper type of Single.

APPENDIX C

Graphic Clip-Art Listings

The following pages contain a graphic listing of the type of clip art available for Comixettes. You will notice that all the bodies are supplied in many parts, allowing you to mix and match to suit the particular comic layout you are deriving. Because of the limitations on the source disk, we have been unable to supply a complete collection of clip art, however we will add to this over the next few months. In the meantime, check out the comic creation feature in the January 1995 issue of CU! Amiga and find out how to create your own clip-art and illustrations.

FEMALE /WIG & CLOSE UP



FEMALE CLOSE UP



FEMALE/MEN ON THE MOVE



FEMALE/MEN FRONT & BACK



FEMALE/MEN ACTION



FEMALE/MEN POSES AND PARTS



MALE/MEN & CIRCUIT



WALK/CLOSEUP HELMET



WALK/MID SPACEOUT



WALK/MID GYMNASTICS



WALK/MID SITTING STANDING



WALK/MID TOPS & BOTTOMS



HAIR/SHIRT HED & CLOSING



HAIR/NEO PAGES & PARTS



BRICKS/INTERIOR-HALL



BRICKS/INTERIOR-TECH



BRICKS/INTERIOR-APT



0000/CITYSCAPE1



0000/CITYSCAPE3



0000/BRICKWALL



0000/CITYSCAPE2



0000/CITYSCAPE4



PROPS/SYMBOLS STARS & STUFF



PROPS/THE BOOKS



PROPS/STANDRIPS CORIST



PROPS/EXPLOSION & PICS



PROPS/STANDRIPS WEDGE



PROPS/SOUND EFFECTS 2

BLAM! POW!
BOOM!
BOOM! POW!
BOOM!

PROPS/SOUND EFFECTS

BOOM! POW!
BLAM! POW!
BOOM!

PROPS/SOUND EFFECTS 3

BOOM!
BOOM! POW!
BOOM!

COMICSETTER

Copyright Information

Glossary

Index

APPENDIX D

Empire Images has licensed this program and manual from Gold Disk Inc. Its use with the January 1995 issue of CU Amiga. All of Gold Disk's rights remain intact and you, as the user, are still bound by the terms and agreements which originally pertained to Comix-Sector as distributed by Gold Disk Inc. These are listed below. If you have any problems with the disk please return it to the address listed in the CU Amiga coverdisk paper, and not to Gold Disk Inc. See magazine for full details.

1. COPYRIGHT: THE PROGRAM AND ITS RELATED DOCUMENTATION ARE COPYRIGHTED. YOU MAY NOT USE, COPY, MODIFY, OR TRANSFER THE PROGRAM OR DOCUMENTATION, OR ANY COPY EXCEPT AS EXPRESSLY PROVIDED IN THIS AGREEMENT.

2. LICENSE: You have the non-exclusive right to use the enclosed program only on a single computer. You may physically transfer the program from one computer to another provided that the program is used on only one computer at a time. You may not electronically transfer the program from one computer to another over a network. You may not distribute copies of the program or accompanying documentation to others. You may not modify or translate the program or documentation.

3. BACK-UP: You may make one (1) copy of the program solely for back-up purposes. You must reproduce and include the copyright notice on the back-up copy.

4. TERMS: This license is effective until terminated. You may terminate it by destroying the program and documentation and all copies thereof. This license will also terminate if you fail to comply with any term or condition of this Agreement. You agree upon such termination to destroy all copies of the program and documentation.

5. PROGRAM DISCLAIMER: THE PROGRAM IS PROVIDED "AS

IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THE PROGRAM IS ASSUMED BY YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU (AND NOT GOLD DISK INC. OR ITS DEALERS) ASSUME THE ENTIRE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. FURTHER, GOLD DISK INC. DOES NOT WARRANT, GUARANTEE OR MAKE ANY REPRESENTATIONS REGARDING THE USE OF, OR THE RESULTS OF THE USE OF, THE PROGRAM IN TERMS OF CORRECTNESS, ACCURACY, RELIABILITY, CURRENTNESS, OR OTHERWISE, AND YOU RELY ON THE PROGRAM AND RESULTS SOLELY AT YOUR OWN RISK.

4. **DISKETTE LIMITED WARRANTY:** GOLD DISK INC. WARRANTS TO THE ORIGINAL LICENSEE THAT THE DISKETTE(S) ON WHICH THE PROGRAM IS RECORDED SHALL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP ONLY FOR A PERIOD OF THIRTY (30) DAYS FROM THE DATE OF ORIGINAL PURCHASE. IF A DEFECT COVERED BY THIS WARRANTY OCCURS DURING THIS 30-DAY WARRANTY PERIOD, AND IT IS RETURNED TO THE DEALER FROM WHOM IT WAS PURCHASED NOT LATER THAN FIFTEEN (15) DAYS AFTER THE END OF SUCH 30-DAY PERIOD, THE DEALER SHALL, AT THE DEALER'S OPTION, EITHER REPAIR OR REPLACE THE DISKETTE. THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS OR STATUTORY WARRANTIES, AND THE DURATION OF ANY IMPLIED WARRANTY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IS HEREBY LIMITED TO SAID THIRTY (30) DAY PERIOD. GOLD DISK'S LIABILITY IS LIMITED SOLELY TO THE REPAIR OR REPLACEMENT OF THE DEFECTIVE PRODUCT, IN ITS SOLE DISCRETION, AND SHALL NOT IN ANY EVENT INCLUDE

DAMAGES FOR LOSS OF USE OR LOSS OF ANTICIPATED COSTS, EXPENSES OR DAMAGES, INCLUDING WITHOUT LIMITATION ANY DATA OR INFORMATION WHICH MAY BE LOST OR REMOVED INACCURATE, EVEN IF GOLD DISK INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Some states/provinces do not allow a limitation on how long an implied warranty lasts, so the above limitation may not apply to you. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state/province to state/province.

5. **MISCELLANEOUS:** This license agreement shall be governed by the laws of the province of Ontario, Canada.

GLOSSARY

active panel & object The current panel or object, on which all modify operations are performed.

background colour See fill colour.

back-up To copy disks and files for safekeeping.

bézier curve A mathematically defined smooth curve.

bit An abbreviation for "binary digit". Groups of bits are used to represent characters and other information. The most common grouping is the "byte" (8 bits).

bitmapped graphic A graphic created with pixel representation.

bold Letters with heavier blacker appearance than normal.

cache A temporary storage area on disk, where the computer stores unused pages to save memory.

carriage return Often referred to as the RETURN key.

centre-justified text Text centered on the full line, with the left and right margins both ragged.

Cmd The AmigaDOS command-driven interface.

click To press and release the left mouse button.

crop To trim a graphic to a reduced size by hiding part of the image.

directory Used to organize files on disks in much the same manner as paper files are organized in file folders.

document The comic currently being worked on within ComicSetter.

DPI Dots per inch. Used to specify the output resolution of a printer.

drag To move objects on the screen using the mouse. Depress the left mouse button over the object, and then move the mouse while the button is still pressed.

file requester A way of accessing files and directories on the screen.

filename The name you select for saving and retrieving a ComicSetter document.

fill colour The colour used as the background when a fill is requested.

fill pattern A pattern used to fill objects in a drawing or box frame.

font A complete set of characters of one type size, type style, and typeface.

background colour See line colour.

function key A key labelled with an F followed by a number. These keys activate certain functions.

gadgets The icons within a sequence window, or screen that are used to change the display or to access a tool.

grid A set of non-printed lines, similar to graph paper, used as a guide for page layout.

group A collection of objects.

half-tone A continuous grey tone simulated by a pattern of pixels.

handles Small rectangles which can be dragged to change the size or shape of an object or panel.

hard-disk drive A hardware device attached to the Amiga with more storage than a floppy disk drive.

icon A pictorial representation of a tool, document, or gadget.

interface mode A video display mode giving 400 lines and a headache.

italic Text modified to slant to the right.

justification The way text is formatted on a line. Text can be centred, left, or right-justified.

left-justified text Text with a straight left margin and a ragged right.

line colour The colour in which all graphics and text will appear.

line weight The thickness of lines used in structured graphics and some bitmapped functions.

manual feed Paper put into a printer by hand.

margin The blank area surrounding the printed matter on a page.

menu bar The strip of menu headings at the top of the screen. It is

accessed by pressing the right mouse button.

object A single graphic or text element. Objects can be bitmapped, structured, or text.

panel A rectangular area on the page. Every object must belong to a panel, usually, the only part of an object which is visible is the part within the object's panel.

paste buffer A temporary data storage area used by Coma buffer to hold items which have been Cut or Copied.

pixel The abbreviation for "picture element", the smallest item of display information on the screen (one dot).

pointer The moving object on the screen, controlled by the mouse, used to select items, icons, and gadgets. Will change its shape depending on the operation in progress.

requester A form which appears on the screen, requesting information which the program needs in order to complete an operation.

resolution The number of horizontal and vertical lines on the screen and printer.

right-justified text Text with a straight right margin and a ragged left.

scaling Changing the size of an image proportionally.

screen The physical display area of the Amiga monitor.

scroll bar The gadgets located to the right and bottom of the screen, used to see different parts of a large page.

select 1. To invoke a menu option. 2. To activate one or more panels, groups, or objects.

sizing gadget The gadget located in the lower right corner some windows, that you can drag to change the window's size.

submenu The additional menu that appears below and to the right side of a menu item.

tool A facility for working with the onscreen display.

typeface A particular combination of type family, style and weight.

Workbench The icon-based user interface on the Amiga.

INDEX

Antialias tool	53	saving	23, 34
align	75	document name	33
Align Menu	16	Document Menu	16
antialias	35	Fill Menu	16
back-ups	34	rotating	73
background patterns	46	fill/erase tool	34, 60
Bulldoze Create tool	27	file requester	23, 24
Bulldoze	60	Fill tool	35
attributes	69	flips	75
creating	30, 69	graphic clipping window	42
fills	69	grids	41, 47
modifying	30, 71	group	71
moving	31	creating	71
tabs	71	moving	76
Buster tool	33, 61	scaling	78
Bitmap Graphic mode	13, 44	selecting	77
bitmaps	43	Group-Create tool	67
clipping	73	Hand Move tool	17
importing	17, 31	importing bitmaps	25
modifying	53	Interface mode	60
operations	53-58	keyboard equivalents	19, 61
saving as BMP	57	keyboard modifiers	19, 61
tile tool	34, 60	Layout Menu	16
clipart	60, 66, 180	left justified text	122
color palette's	47, 57, 62, 68, 72	license agreement	117
contents of the package	11	Line tool	33, 39
conventions of the manual	12	line width tool	17, 47, 57, 62, 72
coordinates	18	locking objects	76
cut and paste	73	magnification	25
dropping	79	memory indicators	60
document		Null Pointer tool	17
closing	34	object	44
loading	34, 35	attributes	48
multiple	34	cropping	45

moving	29, 45	uncompressed graphics mode	17, 44
scaling	45	suggestions for ComicSetter	85
page-caching	80	system requirements	12
page number gadget	35	technical support	91
pages		test	65
creating	22, 35	attributes	67
deleting	36	color	68
moving	36	embedded codes	67
selecting	36	in bitmaps	69
Print test	33	modifying	66
Print Create tool	17	Text Menu	16
panels		Text tool	17
attributes	39, 40	title bar	13
creating	25, 37	updates	11
definition	24, 37	units	73
deleting	39	units of measurement	33
hints	65		
moving	28, 39		
selecting	28, 38		
sizing	39		
pointer shapes	19		
Preferences Menu	16		
printer environment	28, 55		
printing	32, 81		
output resolution	81		
Project Menu	16		
registration	11		
Scroll Bar	18		
Send to back/Send to front	17		
Smart tool	55		
snap-to-grid	42		
starting ComicSetter	14		
uncompressed graphics	43, 59		
attributes	64		
control points	63		
scaling	63		

SO ...

We hope you enjoy ComicStrip. Used on your Amiga with a printer and a modem, this program will allow your imagination to reach out and touch other people, inspire them and, if you're good at it, make them laugh.

For more information on creating comics, invitations and cards see the January 1989 issue of CU Amiga which contains a feature on the subject.

... GET GOING!

